

AMSEC

PRODUCT CATALOG



Table of Contents

GUN SAFES	4	COMMERCIAL SAFES	36
RF Series	6	RMM Series	37
BFI Series	8	MM Series	38
BFX Series	10	BWB Drop Series	39
NF Series	12	BWB Series	40
SF Series	14	DSF Series	41
TF Series	15	DSR Series	42
ProFit Vault Door	16	BLC Series	43
Guardian Pro 5	18	BLB Series	44
RESIDENTIAL SAFES	20	CFX Series	45
CEV Series	21	CF Series	46
MAX Safe	22	CE Series	47
CSC Series	23	DXE Series	48
BF Series	24	ACF Series	50
BFS Series	26	TB Series	52
AM Series	27	LOCKS	53
JS Series	29	AMSEC Electronic Locks	53
FS Series	30	Partner Electronic Locks	54
EST Series	31	Partner Mechanical Locks	55
IRC Safe	32		
MS Safe	33		
WS Series	34		

About Us

At AMSEC, we have been dedicated to providing quality security solutions to our customers since our establishment in 1946.

Additionally, AMSEC entered the Smart Safe market 10 years ago with CashWizard, securing two more patents for our Smart Safe technology. The CashWizard Smart Safe is the highest security depository safe of its kind on the market today and provides ultimate visibility into daily cash transactions via integrated cloud-based software that gives treasury and other management suites the ability to remotely manage money from anywhere in the world, 24 hours a day, 7 days a week.

At AMSEC, we believe that innovation is not just about creating new products but also improving existing ones. We continuously update our products to keep up with the latest technology and security standards, ensuring that our customers have the best possible experience with our products.

Our humble beginnings started with little more than a welder, lathe, and a desire to build strong safes. As we've grown, we've expanded our offerings to meet the changing needs of our customers. Through dedication and hard work, we have become a leading name in the security industry, providing a wide range of products and services, including our CashWizard Smart Safes.

Over the years, we've had the privilege to work with a diverse range of clients across various industries and have been recognized for our commitment to quality and excellence. At AMSEC, our core values guide us in everything we do. We are committed to providing the highest level of security solutions to our customers and continuously strive to innovate and improve our offerings.

Product Information Disclaimer
The information and specifications provided in this catalog are believed to be accurate at the time of printing. AMSEC reserves the right to modify product designs, specifications, and materials without notice.

A M S E C

GUN SAFES



americansecuritysafes.com



ProFit Vault Door



RF582820X6

RF Series



SECURITY RATING
UL Listed
TL-30 / TL-30×6



FIRE RATING
Fire Rating of
120 Minutes at 1850°F



Product Overview

The AMSEC RF Series gun safes represent the absolute pinnacle of residential firearms protection. These are the only gun safes on the market with UL TL-30 and TL-30×6 commercial vault certifications, meaning they are built to the same attack-resistant standards as bank vaults. Each RF safe features a massive 6-inch-thick composite door filled with high-strength concrete and a heavy steel body, delivering bank-level security that can withstand concentrated attacks from professional tools and even torches. Beyond burglary protection, the RF Series is engineered to shield your valuables from fire: it carries a 2-hour fire rating at 1850°F, which is about 650°F hotter and longer than typical home safes, ensuring your firearms and heirlooms remain safe in extreme fires.


Proudly made in the USA at our Fontana, California facility, the RF Series exemplifies AMSEC’s top craftsmanship. Despite their commercial-grade build (weighing 3,400–4,500 lbs), these safes come appointed with conveniences like interior LED lighting and a Premium Door Organizer for your handguns and documents. With potential insurance coverage up to \$500,000 (with an alarm system) due to their high security rating, the RF Series gives serious collectors ultimate peace of mind that their most valuable firearms, documents, and collectibles are protected by the highest-rated gun safe in the industry.

- The only gun safes certified UL TL-30/TL-30×6, the highest security rating.
- Engineered to withstand professional attacks using power tools.
- 2-hour fire rating @ 1850°F, far exceeds standard fire protection.
- Contents insurable for up to \$500,000 with proper alarm system.
- A 6-inch-thick composite door with a 12,000 PSI concrete core helps resist forced entry.
- Ten 1.5-inch diameter chrome steel locking bolts secure all sides of the door.
- A massive 3,400–4,500 lb build helps deter theft and adds rock-solid stability.
- Built in the USA, includes LED lighting, power outlet, and premium door organizer.
- Lifetime warranty with free replacement if the safe is ever burned or burglarized.
- Available in 3 sizes (approx. 26–38 guns) to fit your collection.



RF582820X6


HIGH GLOSS




Charcoal Metallic Gloss




Ironside Green Gloss



Pearl Essence Gloss



Onyx Gloss



Sapphire Blue Gloss



Thermal Blue Gloss




Reign Purple Gloss



Platinum Metallic Gloss

TEXTURED



Textured Granite



Textured Black



Textured White



Textured Spa Blue



Textured Charcoal Gray

CUSTOM OPTIONS

- Mechanical lock with key-locking spy-proof dial

HARDWARE



5-Spoke Handle


HARDWARE FINISH



Chrome



Brass



Black Nickel

Model	Outside Dimensions H x W x D*	Door Clearance H x W	Body Thickness	Gun Capacity	Weight	Lock Type
RF703620X6	76" x 42" x 29 ¼"	70" x 36"	3"	36 in Safe + 2 on Door	4,688 lbs	ESL10
RF582820X6	64" x 34" x 29 ¼"	58" x 28"	3"	24 in Safe + 2 on Door	3420 lbs.	ESL10
RF6528	72" x 35" x 29 ½"	65" x 28"	3.5"	24 in Safe + 2 on Door	3455 lbs.	ESL10

* Add 3" to outside depth for handle, dial and hinge projection.



BFI6636

BFI Series



SECURITY RATING
UL Listed
RSC Level II



FIRE RATING
ETL Rating of
120 Minutes at 1200°F



Product Overview

The BFI Series by AMSEC is a step into true commercial-grade security in a home safe, offering protection levels that other gun safes cannot match or certify. In fact, the BFI is the only gun safe to achieve the UL Residential Security Container (RSC) Level 2 burglary certification, a rigorous test where two expert attackers armed with heavy-duty TL-15 grade tools attempt a break-in. This means the BFI safe can withstand more aggressive attacks than standard RSC safes, effectively bridging the gap between typical residential safes and full bank vaults.

Each BFI safe is built with a 1/2-inch-thick solid steel plate door (the thickest in its class) and a dual-layer steel body (11-gauge outer and 0.3125-inch thick inner liner) filled with AMSEC's proprietary DryLight® poured concrete insulation. This design provides not only formidable break-in resistance but also top-notch fire protection, 120 minutes at 1200°F, verified by independent Intertek/ETL testing (not just in-house claims as many competitors do). During a fire, dual door seals (high-temp silicone and expanding Palusol™) form an airtight barrier against flames and smoke.


The BFI Series is offered in six sizes, from the compact BFI6024 (around 17 guns, 1,067 lbs) up to the expansive BFI7250 (around 44 guns, 2,438 lbs), ensuring there's a model for every need. Inside, you'll find high-end touches like a mirrored back, LED lighting, a power outlet, and a Premium Door Organizer for pistols and gear. Backed by a lifetime warranty against fire or attempted break-in, the BFI safe is a one-time investment that serious gun owners can trust for life, reflecting 75+ years of AMSEC craftsmanship.

- Only gun safe with UL RSC Level 2 burglary certification.
- ETL-verified 120-minute fire protection @ 1200°F (independent lab tested).
- 1/2-inch-thick solid steel plate door, the thickest protection in its class.
- TL-15 grade boltwork: 10 massive 1.5-inch diameter chrome-plated locking bolts.
- Proprietary DryLight® concrete insulation, no drywall weak spots.
- Triple relocker system and hardened steel hardplate thwart sophisticated attacks.
- Made in the USA, over 75 years of safe engineering excellence.
- Lifetime warranty, free replacement if damaged by fire or burglary.
- Dual fire seals (silicone + Palusol®) expand 6–7× to block heat and smoke.
- California DOJ approved, exceeds all state firearm safety standards.



BFI6636


HIGH GLOSS




Charcoal Metallic Gloss




Ironside Green Gloss



Pearl Essence Gloss



Onyx Gloss



Sapphire Blue Gloss



Thermal Blue Gloss




Reign Purple Gloss



Platinum Metallic Gloss

TEXTURED



Textured Granite



Textured Black



Textured White



Textured Spa Blue



Textured Charcoal Gray

CUSTOM OPTIONS

- Two-tone combinations available
- Color matching
- Left swing door
- Interior configuration options
- ESL5 electronic lock
- Combination lock with spy-proof dial
- Combination lock with key-locking spy-proof dial

HARDWARE



L-Handle



3-Spoke Handle



5-Spoke Handle



Chrome



Brass



Black Nickel

HARDWARE FINISH

Model	Outside Dimensions H x W x D*	Door Clearance H x W	Body Thickness	Gun Capacity	Weight	Lock Type
BFI7250	71 1/4" x 50" x 28"	63 3/4" x 42 5/16"	2 1/4"	42 in Safe + 2 on Door	2,438 lbs.	ESL10
BFI7240	71 1/4" x 40" x 26"	63 3/4" x 32 5/16"	2 1/4"	36 in Safe + 2 on Door	1,991 lbs.	ESL10
BFI6636	65 1/4" x 36" x 26"	57 3/4" x 28 5/16"	2 1/4"	24 in Safe + 2 on Door	1,716 lbs.	ESL10
BFI6030	59 1/4" x 30" x 26"	51 3/4" x 22 5/16"	2 1/4"	22 in Safe + 2 on Door	1,395 lbs.	ESL10
BFI6032	59 1/4" x 30" x 21"	51 3/4" x 22 5/16"	2 1/4"	18 in Safe + 2 on Door	1,244 lbs.	ESL10
BFI6024	59 1/4" x 24" x 21"	51 3/4" x 16 5/16"	2 1/4"	16 in Safe + 1 on Door	1,067 lbs.	ESL10

*Add 3" to outside depth for handle, dial and hinge projection.



BFX6030

BFX Series



SECURITY RATING
UL Listed
RSC Level I



FIRE RATING
ETL Rating of
120 Minutes at 1200°F



Product Overview

The BFX Series is AMSEC’s premier line of residential gun safes, combining commercial-grade construction with refined features for the serious collector. Every BFX safe is built in Fontana, CA, using a dual-steel body (a combined 1/4-inch-thick inner + outer steel) filled with the same DryLight® poured concrete composite used in our bank vaults. This yields incredible rigidity and uniform fire insulation without the gaps you get in safes that use layered drywall. The result is UL RSC Level 1 burglary certification and an ETL-verified 120-minute fire rating @ 1200°F, performance far beyond most residential safes. The BFX’s formidable door includes a 1/2-inch-thick solid steel plate front, a reinforced door frame, and a gear-driven Active 4× Locking Mechanism with 14-16 (BFX6024 - 10) chrome-plated bolts that secure all four sides of the door, eliminating pry points and standing up to sledgehammer and drill attacks.

Despite its heavy-duty core, the BFX series doesn’t compromise on convenience or style: interiors are fully upholstered and configurable, with LED lighting, an internal power outlet, a mirrored back for visibility, and a Premium Door Organizer for pistols and accessories. With six models ranging from the closet-sized BFX6024 (holds ~17 guns) to the giant BFX7250 (up to ~44 guns), there’s a size for every need. AMSEC backs each BFX safe with a lifetime warranty against fire or attempted break-in, plus a 5-year parts and labor warranty on the lock, meaning this is a safe you buy once and rely on for a lifetime of security. The BFX series showcases over 75 years of AMSEC expertise, delivering true peace of mind to protect your firearms and valuables.

- 120-minute verified fire protection (4 times longer than typical safe ratings).
 - UL RSC Level 1 burglary rated, built to resist break-in attempts.
 - DryLight® poured concrete insulation, same material used in bank vaults.
 - Four-way boltwork with 14-16 1.5-inch diameter locking bolts on all sides of door (10 bolts on BFX6024).
 - Dual steel body construction, seamless composite barrier, no weak points.
- Gear-driven 4× locking system defeats prying, punches, and sledgehammer attacks.
 - Made in USA, premium finish with plush interior and LED lighting.
 - Lifetime fire and burglary warranty. If disaster strikes, we'll replace the safe.
 - Available in six sizes, ranging from a compact 17-gun safe to a high-capacity 44-gun model.
 - Includes power outlet, USB ports, Premium Door Organizer, and customizable shelving.



BFX6030

HIGH GLOSS



Charcoal Metallic Gloss



Ironside Green Gloss



Pearl Essence Gloss




Onyx Gloss



Sapphire Blue Gloss



Thermal Blue Gloss




Reign Purple Gloss



Platinum Metallic Gloss

TEXTURED




Textured Granite




Textured Black



Textured White



Textured Spa Blue



Textured Charcoal Gray

CUSTOM OPTIONS

- Two-tone combinations available
- Color matching
- Left swing door
- Interior configuration options
- ESL5 electronic lock
- Combination lock with spy-proof dial
- Combination lock with key-locking spy-proof dial

HARDWARE



3-Spoke Handle



5-Spoke Handle


HARDWARE FINISH



Chrome



Brass



Black Nickel

Model	Outside Dimensions H x W x D*	Door Clearance H x W	Body Thickness	Gun Capacity	Weight	Lock Type
BFX7250	71 1/4" x 50" x 28"	63 3/4" x 42 5/16"	2 1/4"	42 in Safe + 2 on Door	1,851 lbs.	ESL10
BFX7240	71 1/4" x 40" x 26"	63 3/4" x 32 5/16"	2 1/4"	36 in Safe + 2 on Door	1,647 lbs.	ESL10
BFX6636	65 1/4" x 36" x 26"	57 3/4" x 28 5/16"	2 1/4"	24 in Safe + 2 on Door	1,375 lbs.	ESL10
BFX6030	59 1/4" x 30" x 26"	51 3/4" x 22 5/16"	2 1/4"	22 in Safe + 2 on Door	1,081 lbs.	ESL10
BFX6032	59 1/4" x 30" x 21"	51 3/4" x 16 5/16"	2 1/4"	18 in Safe + 2 on Door	958 lbs.	ESL10
BFX6024	59 1/4" x 24" x 21"	51 3/4" x 16 5/16"	2 1/4"	16 in Safe + 1 on Door	751 lbs.	ESL10

*Add 3" to outside depth for handle, dial and hinge projection.



NF6032




NF Series



SECURITY RATING
UL Listed
RSC Level I



FIRE RATING
ETL Rating of
90 Minutes at 1200°F



Textured
Taupe Gray



5-Spoke Handle
Black Nickel

Product Overview

The NF Series gun safes deliver an ideal balance of high security and affordability, with fire protection that no competitor in its class can claim. Every NF safe carries an independently verified 90-minute fire rating at 1200°F (ETL certified by Intertek), whereas many mid-range safes rely on unverified or self-stated fire claims. This means you can trust an NF safe to keep your firearms, documents, and valuables intact through a severe house fire. On the security side, the NF Series is built with a proven UL RSC Level 1 burglary rating, it's constructed with a 1/4-inch-thick solid steel plate door and a robust 11-gauge steel body with multiple drywall layers, all kept rigid by internal steel reinforcements. A total of 14 chrome-plated locking bolts engage on all four sides of the door (top, bottom, hinge side, and opening side), making the door extremely pry-resistant.

Premium features come standard: each NF safe includes a motion-activated LED light for the interior and a Premium Door Organizer for pistols, magazines, and documents. The interior is flexible, with adjustable shelving that can be configured for rifles or storage as your collection grows. Available in four sizes (from a 17-gun closet model up to a 36-gun large safe), the NF series fits most space and capacity needs. Like all AMSEC gun safes 55" or taller, the NF models are California DOJ approved and come with a lifetime warranty: if an NF safe is ever successfully burglarized or damaged in a fire, AMSEC will replace it free of charge. With the NF Series, you get mid-range pricing without mid-range compromises, a tradition built on 75+ years of AMSEC expertise.

Model	Outside Dimensions H x W x D*	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
NF6036	59" x 36" x 26"	51 1/2" x 28 1/2"	2 3/16"	34 in Safe + 2 on Door	977 lbs.	ESL10
NF6030	59" x 30" x 26"	51 1/2" x 22 1/2"	2 3/16"	28 in Safe + 2 on Door	788 lbs.	ESL10
NF6032	59" x 30" x 21"	51 1/2" x 22 1/2"	2 3/16"	18 in Safe + 2 on Door	761 lbs.	ESL10
NF5924	59" x 24" x 18"	51 1/2" x 16 1/2"	2 3/16"	16 in Safe + 1 on Door	600 lbs.	ESL10

*Add 3" to outside depth for handle, dial and hinge projection.

- The only mid-tier safe with an independently tested 90-minute fire rating.
- 1/4-inch-thick solid steel plate door and 14 locking bolts, defeats prying and forced entry.
- UL RSC Level 1 attack certified and built to withstand a professional break-in test.
- Standard interior upgrades: LED motion lighting & mirrored back for visibility.
- Included Premium Door Organizer keeps handguns and documents neatly stored and quick to access.
- Lifetime warranty, full replacement if your safe is ever damaged by fire or break-in.
- Dual fire seals (silicone + Palusol®) expand to form an airtight barrier in heat.
- California DOJ approved, meets the nation's strictest firearm safety regulations.
- Convertible interior, adjustable shelving and racks for guns or general storage.
- Four sizes available, approx. 17, 20, 30, or 36 gun capacities to fit your needs.



NF6032



SF6030



SF Series



FIRE RATING
ETL Rating of
60 Minutes at 1200°F



Textured
Black



3-Spoke Handle
Black Nickel

Product Overview

The SF Series by AMSEC offers serious fire and theft protection for gun owners who demand quality but are mindful of budget. These safes are built with nearly 80 years of AMSEC expertise, bringing many high-end features into a more affordable range. Every SF safe has been independently fire tested for 60 minutes at 1200°F (ETL verified), so unlike many competitors in this price class, you have real proof that your firearms and valuables will survive a typical home fire. The safe's door is constructed from double layer 12 gauge steel. This hefty door, combined with a 12-gauge steel body and two layers of drywall, earned the SF its ETL 1-hour fire rating. The door is secured by 14 large steel locking bolts on all four sides (nine active bolts plus five deadbolts on the hinge side), driven by a smooth cam mechanism that ensures even, tight lock-up to resist prying attacks.

Standard on the SF Series is AMSEC's own ESL5 electronic lock, a UL-listed digital lock with an illuminated keypad for quick, reliable access even in the dark. Inside, SF safes come fully featured: a Premium Door Organizer for handguns and small items, LED interior lighting for convenience (factory-installed on most models), and a plush velour-lined interior to protect finishes on your firearms. The SF Series is available in four popular sizes, from the space-saving SF6032 (holds up to ~20 guns) to the tall and wide SF7240 (up to ~47 guns). Each is backed by AMSEC's lifetime warranty against fire and attempted break-in, making the SF Series the smartest entry point into true protection.

Model	Outside Dimensions H x W x D*	Door Clearance H xW	Body Thickness	Interior Capacity	Weight	Lock Type
SF7240	72" x 40" x 26"	64" x 32"	2"	45 in Safe + 2 on Door	1,086 lbs.	ESL5
SF6036	59" x 36" x 26"	51" x 28"	2"	34 in Safe + 2 on Door	840 lbs.	ESL5
SF6030	59" x 30" x 26"	51" x 22"	2"	30 in Safe + 2 on Door	748 lbs.	ESL5
SF6032	59" x 30" x 21"	51" x 22"	2"	18 in Safe + 2 on Door	662 lbs.	ESL5

*Add 3" to outside depth for handle, dial and hinge projection.

- ETL-verified 60-minute fire rating @ 1200°F, proven protection, not just claims.
- Double layer 12 gauge steel door.
- 14 total locking bolts (4-way coverage), secures door edges to resist prying.
- Lifetime warranty, your safe is replaced free after a fire or attempted burglary.
- ESL5 electronic lock with illuminated keypad, fast, fail-safe access in darkness.

- Premium Door Organizer included, store handguns, ammo, and documents neatly.
- Built-in LED lighting, find your firearms and valuables easily in low light.
- Heat-expanding Palusol® door seal (expands 6–7×) blocks out smoke and fire.
- Durable 12-gauge steel body with dual fire insulation layers for all-around protection.
- California DOJ approved and compliant with strict firearm safety device requirements.



TF5517



TF Series



FIRE RATING
Fire Rating of
30 Minutes at 1200°F



Textured
White
(TF5924)



Textured
Black



Black
(TF5924)



Black
(TF5517)

Product Overview

The AMSEC TF Series gun safes deliver real fire and burglary protection at an exceptional value, making them perfect for first-time safe buyers or those securing a smaller collection. Despite their budget-friendly price, TF safes are built with many professional-grade components. The safe's door is constructed from double layer 12 gauge steel. The body is made from solid 14-gauge steel with a drywall layer, giving the TF a sturdy structure. For fire protection, the TF Series has an independent 30-minute fire rating at 1200°F, verified by Intertek (ETL), so you can trust it to protect contents during a typical quick-response house fire. On the security side, the TF safes boast four-way bolt locking with up to 14 chrome-plated bolts (1-inch diameter on TF5517 and 1 1/4-inch on larger TF5924) securing the door. A drill-resistant hardplate and internal relocker protect the lock from tampering, while the included UL-listed electronic lock (AMSEC ESL5) provides reliable, easy opening.

Every TF safe comes with a Premium Door Organizer installed, giving you quick-access handgun holsters and pouches for small items, a feature often optional on other entry safes. The interiors are upholstered in an attractive gray velour fabric to prevent scratches on your firearms, and adjustable shelving lets you configure storage to your needs. Two models are offered: the TF5517 (stores up to 11 guns, ideal for closets or apartments) and the larger TF5924 (up to 18 guns), both with a sleek textured black finish. Like all AMSEC gun safes, the TF series is California DOJ approved and even includes a lifetime warranty for fire or attempted break-in, so you can buy with confidence that your safe will be replaced if it ever fails to protect your valuables.

Model	Outside Dimensions H x W x D*	Door Clearance H xW	Body Thickness	Interior Capacity	Weight	Lock Type
TF5924	59" x 24" x 18"	51 ¼" x 16 ⅛"	1"	17 in Safe + 1 on Door	388 lbs.	ESL5
TF5517	55 ¼" x 17 ¾" x 16"	49" x 11 ½"	1"	11 in Safe only	286 lbs.	ESL5

*Add 3" to outside depth for handle, dial and hinge projection.

- Independent rating of 30-minute fire protection @ 1200°F
- Double layer 12 gauge steel door.
- Drill-resistant hardplate and relocker, protects the lock from drilling or punch attacks.
- 14 total locking bolts (4-way coverage), secures door on all sides against prying.
- UL-listed ESL5 electronic lock with illuminated keypad, easy and dependable access.

- Premium Door Organizer included, handy storage for pistols, magazines, and documents.
- Chrome-plated steel live bolts and deadbolts, robust 1-inch diameter or 1 1/4-inch bolts secure the door tightly.
- California DOJ certified, meets official requirements as a firearm safety device.
- 75+ years of AMSEC expertise in every safe, heritage of quality and security.
- Lifetime warranty on fire or burglary damage, your safe is replaced at no cost if attacked or burned.



V8036 IS HG

ProFit Vault Door



Product Overview

The ProFit Vault Door is AMSEC’s most advanced residential vault door system, engineered to transform an entire room into a secure sanctuary with minimal hassle. Unlike traditional one-piece vault doors, the ProFit uses a modular design that significantly cuts installation time (by over 50%) and complexity. This installer-friendly approach means you can have a high-security walk-in vault or panic room in your home with far less construction work or retrofitting. The ProFit Vault Door doesn’t compromise on protection: it’s built around a formidable 1/2-inch-thick solid steel plate door combined with our DryLight® composite fill for excellent fire resistance. The door is secured by six large 1 1/2-inch diameter locking bolts and an internal steel locking bar on the hinge side, providing B-rate commercial security against forced entry.

For everyday use, the ProFit features an ADA-friendly low-profile threshold, which means no big step or tripping hazard when moving things in and out of your vault room, a detail anyone can appreciate. Another intelligent feature is the configurable swing direction: you can order the ProFit as an in-swing or out-swing door (left or right hinged) to suit your space or safety requirements. In-swing doors are perfect for storm shelters where debris might block an outward door, while out-swing doors can maximize interior space. Security features include a UL-listed electronic or mechanical lock (your choice) paired with a drill-resistant hardplate and relocker, as well as a standard panic lock function so you can lock the door from the inside in an emergency, even if someone outside tries to open it. Additionally, an emergency release mechanism inside ensures you can never be accidentally locked in without a way out. The ProFit Vault Door is finished in your choice of high-gloss or textured colors (including two-tone options) with premium five-spoke handles in various finishes, allowing it to seamlessly integrate with luxury home aesthetics. Proudly made in the USA, the ProFit Vault Door brings commercial-grade protection to your home with a level of refinement, flexibility, and ease of installation that is truly cutting-edge.

- Modular design, installs 50% faster than traditional vault doors.
 - DryLight® composite insulation: superior fire barrier.
 - Six 1 1/2-inch diameter chrome-steel locking bolts, provides robust B-rate level burglary security.
 - Panic lock feature, allows you to lock the door from inside during emergencies.
- Interior emergency release, guarantees a safe exit if someone is accidentally locked in.
 - ADA-friendly low threshold, easy, trip-free entry ideal for moving items or wheelchair access.
 - American-made quality, built on 75+ years of security manufacturing excellence.




V8036 IS HG

HIGH GLOSS



TEXTURED



HARDWARE



5-Spoke
Handle

HARDWARE FINISH



Chrome Brass Black Nickel


CUSTOM OPTIONS

- ESL5 electronic lock
- Combination lock with key-locking spy-proof dial

Model	Swing Type	Wall Opening H x W	Door Opening H x W	Weight	LOCK TYPE
V8030 IS TXT	In-Swing	79 ½" x 29 ½"	77 ¼" x 20"	780 lbs.	ESL10
V8030 OS TXT	Out-Swing	79 ½" x 29 ½"	77 ½" x 25 ⅞"	810 lbs.	ESL10
V8030 IS HG	In-Swing	79 ½" x 29 ½"	77 ¼" x 20"	780 lbs.	ESL10
V8030 OS HG	Out-Swing	79 ½" x 29 ½"	77 ½" x 25 ⅞"	810 lbs.	ESL10
V8036 IS TXT	In-Swing	79 ½" x 35 ½"	77 ¼" x 26"	900 lbs.	ESL10
V8036 OS TXT	Out-Swing	79 ½" x 35 ½"	77 ½" x 31 ⅞"	930 lbs.	ESL10
V8036 IS HG	In-Swing	79 ½" x 35 ½"	77 ¼" x 26"	900 lbs.	ESL10
V8036 OS HG	Out-Swing	79 ½" x 35 ½"	77 ½" x 31 ⅞"	930 lbs.	ESL10
V8042 IS TXT	In-Swing	79 ½" x 41 ½"	77 ¼" x 32"	1020 lbs.	ESL10
V8042 OS TXT	Out-Swing	79 ½" x 41 ½"	77 ½" x 37 ⅞"	1050 lbs.	ESL10
V8042 IS HG	In-Swing	79 ½" x 41 ½"	77 ¼" x 32"	1020 lbs.	ESL10
V8042 OS HG	Out-Swing	79 ½" x 41 ½"	77 ½" x 37 ⅞"	1050 lbs.	ESL10



Guardian Pro 5



Product Overview

The Guardian Pro 5 is a compact biometric pistol safe designed to deliver fast, reliable access while maintaining a high level of security. Built for everyday use, it utilizes advanced fingerprint recognition technology that allows authorized users to open the safe quickly with a simple swipe, reducing response time in critical situations. The system can store multiple fingerprints, making it suitable for shared access, while additional entry methods such as a keypad code and backup key provide flexibility and redundancy.

Constructed with durable materials and engineered for portability, the Guardian Pro 5 is well-suited for discreet placement in drawers, closets, or vehicles. Its compact footprint does not compromise usability, as the interior is designed to accommodate most standard handguns while protecting them from damage. The safe also incorporates thoughtful usability features like an auto-opening door and interior lighting, helping users quickly locate contents in low-light conditions. Overall, it balances accessibility, protection, and convenience in a space-efficient design.

Model	Outside Dimensions H x W x D*	Inside Dimensions H x W x D	Body Thickness	Weight	Lock Type
PB5	2 3/4" x 11 3/4" x 10"	2 13/20" x 10 7/8" x 7 1/2"	14GA	9 lbs.	Biometric / 5 Digit Code / Physical Key

- Stores up to 30 unique fingerprints for multi-user access.
 - Compact and portable design suitable for home or vehicle use.
 - Interior dimensions designed to fit most standard handgun sizes.
 - Meets California firearm safety device requirements for compliance.
- Includes interior foam lining to help prevent scratches and damage.
 - Features an auto-opening lid for quick, one-handed access.
 - Built-in LED light for improved visibility in low-light conditions.
 - Security cable for anchoring the safe to a fixed object.



Guardian Pro 5

RESIDENTIAL SAFES



CEV Series



Product Overview

The AMSEC CEV Series brings true commercial-grade safe technology into your home or small business. This series is UL TL-15 rated to withstand professional burglary attacks and offers 2-hour fire protection at 1850°F, all at a price that puts high-end security within reach. Each CEV safe is built like a vault: a 6-inch-thick composite door and 3 1/2-inch-thick steel body packed with proprietary concrete and hardened alloy fillers can withstand concentrated assaults from power tools like grinders, saws, and carbide drills. During a fire, the Palusol door seal expands up to 6-7x its size to lock out smoke and blistering heat, keeping the interior below critical temperature for a full two hours.

With five models ranging from 1.8 to 21.1 cubic feet (and roughly 854 to 3,153 lbs), there's a CEV safe for every need, each robust enough to qualify for insurance coverage of \$100,000 to \$150,000 on stored valuables. Features like dual glass relockers that deadlock the mechanism if attacked, a UL Type 1 high-security electronic lock, and 1.5-inch diameter chrome-plated locking bolts (6 to 10 per safe) come standard on every model. Based on AMSEC's renowned AMVAULT high-security line, the CEV Series delivers genuine bank-vault protection for your most valuable assets.



FIRE RATING
ETL Rating of
120 Minutes at 1850°F



SECURITY RATING
TL-15 Burglary
Tool Resistant Safe



Textured Black



Chrome

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
CEV1814	25" x 21" x 21 1/2"	18" x 14"	3 1/2"	1.8 cu. ft.	854 lbs.	ESL10
CEV2518	32" x 25" x 25 1/2"	25" x 18"	3 1/2"	4.2 cu. ft.	1,292 lbs.	ESL10
CEV3524	42" x 31" x 29 1/2"	35" x 24"	3 1/2"	9.7 cu. ft.	2,085 lbs.	ESL10
CEV5524	62" x 31" x 29 1/2"	55" x 24"	3 1/2"	15.3 cu. ft.	2,768 lbs.	ESL10
CEV6528	72" x 35" x 29 1/2"	65" x 28"	3 1/2"	21.1 cu. ft.	3,153 lbs.	ESL10

- UL TL-15 certified safe resists professional tool attacks with ease.
 - 2-hour fire protection at 1850°F, keeping interior safe.
 - Insurance-grade build qualifies for \$100K-\$150K content coverage.
 - 6-inch thick composite door stops drills, grinders, and saws.
 - UL Type 1 electronic lock.
- Massive 1 1/2-inch diameter chrome steel locking bolts (6-10 per safe) secure the door.
 - Five sizes (1.8 to 21 cu ft; 854-3,153 lbs) to fit any need or space.
 - Built on AMSEC's proven AMVAULT high-security design.

MAX Safe



Product Overview

For over 75 years, AMSEC has built safes that outlast and outperform, and the MAX1014 Safe continues that legacy. This compact powerhouse brings true commercial-grade security into the home, delivering UL TL-15 rated burglary protection at a price you'd normally pay for a basic residential safe. When safeguarding high-value jewelry, watches, documents, or cash, you deserve more than a simple metal box. The MAX1014's 4 3/4-inch-thick composite door and 90-minute ETL-verified fire rating (at 1200°F) provide vault-level peace of mind, using the same advanced materials and designs trusted in bank vaults and jewelry store safes.

What sets the MAX1014 apart is its uncompromising defense against real-world attacks. While typical home safes can be pried or cut open in minutes, the MAX1014 is tested to withstand sustained onslaughts from sledgehammers, carbide cutters, and power drills, the very tools professional burglars use. Its internal glass relocker will trigger a secondary lockdown if the safe is tampered with, and a hardened steel hardplate shatters drill bits to protect the lock. Six massive stainless-steel locking bolts secure the door into a reinforced frame, all controlled by a quick-access UL Type 1 electronic lock that includes a penalty lockout after too many wrong code attempts. At just under 500 lbs and compact enough to slide into a closet, the MAX1014 offers genuine vault-level security in a home-friendly size. Its TL-15 certification even qualifies many owners for up to \$150,000 in insurance coverage on valuables. This safe truly bridges the gap between what homeowners typically buy and the protection their most precious possessions really need.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
MAX1014	15 7⁄8" x 19 3⁄4" x 19 3⁄8"	10 1⁄8" x 14 1⁄8"	2 3⁄4"	0.95 cu. ft.	492 lbs.	ESL10

- UL TL-15 certified for commercial-grade burglary protection.
- 90-minute fire rating at 1200°F (ETL verified) for peace of mind.
- 4.75-inch-thick composite door defeats drills, saws, and pry tools.
- Glass relocker triggers backup locks if tampering is detected.
- Six massive stainless-steel bolts secure door in reinforced frame.


- UL Type 1 electronic lock with penalty lockout after 4 attempts.
- Eligible for insurance coverage up to \$150K in value.
- Vault-solid 492 lb build easily fits in closets or home offices.
- Ceramic-steel composite walls halt cutting tools on contact.
- Backed by 75+ years of AMSEC engineering excellence.



FIRE RATING
ETL Rating of
90 Minutes at 1200°F



SECURITY RATING
TL-15 Burglary
Tool Resistant Safe



**Textured
Charcoal Gray**



Chrome

CSC Series



CSC1913E1

Product Overview

The CSC Series packs commercial-grade security into a compact safe designed to fit in closets, bedrooms, or home offices. Despite its space-saving size, each CSC safe provides serious protection: a true 2-hour fire rating (far outlasting typical home safes) shields your jewelry, documents, cash, and other valuables even through extreme house fires. The safe's dense concrete-filled steel walls and 4 5/8-inch-thick composite door have earned a UL RSC Level 1 burglary certification, defending against pry bars, drills, and other forced-entry attempts.


Available in two sizes, the CSC1413 for essential storage and the larger CSC1913 with 35% more capacity, this series lets you choose the right fit without compromising on security. Every CSC safe features four solid steel locking bolts backed by a glass relocker, plus a tungsten-carbide hardplate to stop drill bits cold. The CSC Series delivers heavy-duty protection at a sensible price point for homeowners.



FIRE RATING
ETL Rating of
120 Minutes at 1200°F



SECURITY RATING
UL Listed
RSC Level I



**Textured
Charcoal Gray**



**Brushed
Aluminum**

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
CSC1413E1	19 1⁄2" x 18" x 19 7⁄8"	14" x 12 1⁄2"	2 3⁄4"	1.24 cu. ft.	256 lbs.	ESL10
CSC1913E1	24 1⁄2" x 18" x 19 7⁄8"	19" x 12 3⁄8"	2 3⁄4"	1.68 cu. ft.	318 lbs.	ESL10

Note: Add 2" to outside depth for handle, dial and hinge projection. Add 1" rubber feet) to outside height.

- 2-hour fire protection up to 1700°F ensures contents survive.
 - UL RSC Level 1 burglary certification proven against real break-in attacks.
 - 4 5/8-inch-thick solid steel plate door with a concrete composite core for maximum strength.
 - Double-wall steel body with high-strength poured concrete fill.
 - Ideal for tight spaces like closets or apartments, no massive footprint required.
- Four solid steel locking bolts backed by a glass relocker for extra security.
 - Lifetime fire replacement warranty protects your investment for life.
 - Two sizes for your growing collection of valuables.
 - Secures jewelry, documents, cash, and other valuables with ease.

BF Series



Product Overview

The BF Home Safe Series delivers what no other residential safe can: genuine UL-rated protection against both fire and burglary in one American-made safe. Each BF safe features a massive 1/2-inch-thick solid steel plate door and poured fire-resistant composite construction, just like a bank vault. This robust build earns UL’s RSC Level 1 burglary rating and a 1-hour fire certification, keeping interior temperatures below 350°F to safeguard your documents. Three 1-inch diameter chrome locking bolts and a full-length dead bar make prying attempts futile, and a heat-activated door seal that swells 6-7x under high temperatures blocks smoke and flames. Weighing 288 to 690 pounds (depending on model), a BF safe stays firmly in place, far too heavy for a thief to carry off.

Built in California and backed by over 75 years of AMSEC craftsmanship, the BF Series comes with an industry-leading Lifetime Fire Replacement Warranty for peace of mind. Four models (from 1.35 to 5.19 cubic feet of interior space) offer your choice of electronic or mechanical locks and an array of premium finishes. The BF Home Safe Series blends professional-grade security with home-friendly convenience. For homeowners who refuse to compromise on protecting what matters most, BF is the gold standard of home safes.

- The only UL-rated high-security home safe on the market today.
 - UL 1-hour fire rating (1700°F) keeps interior below 350°F to protect contents.
 - Proprietary fire clay fill between steel walls for max fire protection.
 - 1/2-inch-thick solid steel plate door (bank-vault thickness) defeats pry bars and sledgehammers.
 - U.S. made with 75+ years of trusted American craftsmanship.
- A hefty 288–690 lb build that’s too heavy for thieves to carry off.
 - Backed by a lifetime fire replacement warranty.
 - Commercial bank-vault construction brings maximum security to your home.
 - Heat-activated door seal expands 6-7x to block smoke and flames.
 - Three 1-inch diameter steel locking bolts and a full-length dead bar keep intruders out.



HIGH GLOSS



Charcoal Metallic Gloss



Ironsides Green Gloss



Pearl Essence Gloss



Onyx Gloss



Sapphire Blue Gloss



Thermal Blue Gloss



Reign Purple Gloss



Platinum Metallic Gloss

TEXTURED



Textured Granite



Textured Black



Textured White



Textured Spa Blue



Textured Charcoal Gray



FIRE RATING
ETL Rating of
60 Minutes at 1200°F
(BF3416)



FIRE RATING
UL Rating of
60 Minutes at 1700°F
(All Other BF Models)



SECURITY RATING
UL Listed
RSC Level I



MADE IN USA

HARDWARE



Chrome



Brass



Black Nickel

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight
BF1512	20 1/4" x 17 1/4" x 18 3/4"	15" x 12"	2 5/8"	1.35 cu. ft.	288 lbs.
BF1716	22 1/4" x 21 3/4" x 21 3/4"	17" x 16 1/2"	2 5/8"	2.60 cu. ft.	412 lbs.
BF2116	26 1/4" x 21 3/4" x 20 1/4"	21" x 16 1/2"	2 5/8"	2.91 cu. ft.	476 lbs.
BF3416	39 1/4" x 21 3/4" x 21 3/4"	34" x 16 1/2"	2 5/8"	5.19 cu. ft.	690 lbs.

Lock Type: Combination Lock with Key-Locking Spy-Proof Dial | Combination Lock with Spy-Proof Dial | ESL5 | ESL10
| Combination Lock with Front-read Dial

BFS Series



BFS2214



BFS912

Product Overview

The BFS Series brings professional-grade fire and burglary protection to homeowners who refuse to compromise on security. Each safe is built with a 1/2-inch-thick solid steel plate door (the same thickness used in many bank vaults) and a 2.3125-inch double-wall steel body filled with proprietary fire-resistant composite. This heavy-duty design achieves an industry-leading UL RSC Level 1 burglary rating and provides 60–80 minutes of ETL-verified fire protection, tested at temperatures as high as 1775°F. Unlike competitors who self-certify their safes, BFS safes are independently lab-tested to keep interior temperatures below 350°F, ensuring your firearms, documents, and irreplaceable valuables stay safe when it matters most.

Whether you choose the compact BFS912 for handguns and passports or the spacious BFS4520 with nearly 10 cubic feet of storage, every model comes equipped with premium security features. A UL Type 1 electronic lock offers the highest level of security for quick, reliable access, while up to 14 solid steel locking bolts secure all four sides of the door. AMSEC’s signature spring-loaded relocker activates during an attack attempt to foil drilling or punching of the lock. Backed by over 75 years of American safe-making expertise and a Lifetime Fire Replacement Warranty, the BFS Series delivers true commercial-quality protection at a price that makes top-tier security accessible.



FIRE RATING
ETL Rating of
80 Minutes at 1775°F
(BFS912E5LP)



FIRE RATING
ETL Rating of
60 Minutes at 1200°F
(All Other BFS Models)



SECURITY RATING
UL Listed
RSC Level I



**Textured Black
& Charcoal Gray**



Chrome

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
BFS1512E1	20 1⁄8" x 17 1⁄8" x 19 1⁄2"	15" x 12 1⁄4"	2 5⁄16"	1.4 cu. ft.	316 lbs.	ESL10
BFS2214E1	27 1⁄8" x 19 1⁄8" x 21 7⁄8"	22 1⁄4" x 14"	2 5⁄16"	2.8 cu. ft.	432 lbs.	ESL10
BFS2815E1	33" x 20" x 22 3⁄4"	27 7⁄8" x 14 7⁄8"	2 5⁄16"	3.8 cu. ft.	514 lbs.	ESL10
BFS3416E1	39 1⁄8" x 21" x 23 3⁄4"	33 7⁄8" x 15 5⁄8"	2 5⁄16"	5.48 cu. ft.	634 lbs.	ESL10
BFS4520E1	49 7⁄8" x 25 1⁄8" x 25 3⁄4"	44 9⁄16" x 19 3⁄4"	2 5⁄16"	9.67 cu. ft.	900 lbs.	ESL10
BFS912E5LP	12 1⁄2" x 16" x 16 3⁄16"	8 7⁄8" x 12 1⁄2"	1 3⁄4"	0.72 cu. ft.	145 lbs.	ESL5LP

- ETL-verified 60–80-minute fire rating for proven protection.
 - 1/2-inch-thick solid steel plate door for maximum protection.
 - UL RSC Level 1 burglary rating (industry-leading for home safes).
 - Double-wall steel body filled with proprietary fire clay insulation.
 - UL Type 1 high-security electronic lock (highest rating available).
- Up to 14 steel locking bolts securing all 4 sides of the door.
 - Spring-loaded relocker thwarts drill and punch attack attempts.
 - Door seal blocks smoke, fire, and water damage.
 - Lifetime fire replacement warranty for ultimate peace of mind.
 - Backed by 75+ years of AMSEC safe expertise.

AM Series



AM3020E5



AM3020 Plus

Product Overview

The AM Series offers professional-grade protection at an affordable price, giving you features usually found in safes costing much more. Each AM safe is ETL-certified for 45 minutes of fire resistance at 1200°F and built with a heavy 12-gauge steel body, about twice the thickness of standard budget safes. Instead of thin metal and unverified fire ratings, the AM Series uses a solid 1/4-inch-thick solid steel plate door, multiple layers of fire insulation, and a UL-listed electronic lock (the same high-security locking technology trusted by banks). Available in three sizes (from the 2.21 cu ft AM2020 up to the 4.88 cu ft AM4020), these safes are designed to shield your documents, jewelry, cash, and family heirlooms from both fire and theft.


Striking the perfect middle ground between entry-level and high-end, the AM Series delivers real security without needless complexity. An intumescent door seal swells up to 6-7x its size in a fire to block smoke and heat, keeping the interior below 350°F so paper documents and photos remain unharmed (paper chars around 450°F). Three-way locking bolts (1 1/4-inch diameter) secure the door on multiple sides, and a drill-resistant hardplate protects the lock against tampering. Each safe comes with an illuminated electronic keypad (with optional stealth mode for silent entry) and pre-drilled anchor holes plus mounting hardware for easy installation. When you want independently tested protection instead of marketing promises, the AM Series is the smart choice.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
AM2020E5	20" x 20" x 20"	14 1⁄2" x 14 1⁄2"	12 GA	2.21 cu. ft.	170 lbs.	ESL5
AM3020E5	30" x 20" x 20"	24 1⁄2" x 14 1⁄2"	12 GA	3.54 cu. ft.	230 lbs.	ESL5
AM4020E5	40" x 20" x 20"	34 1⁄2" x 14 1⁄2"	12 GA	4.88 cu. ft.	316 lbs.	ESL5
AM3020 Plus	30" x 20" x 20"	24 1⁄2" x 14 1⁄2"	12 GA	3.54 cu. ft.	230 lbs.	ESL10


- ETL-certified 45-minute fire protection (tested at 1200°F) ensures reliable protection.
 - 1/4-inch-thick solid steel plate door stops prying and forced entry attempts.
 - UL-listed electronic lock with illuminated keypad.
 - Door seal expands 6-7x to block smoke and heat out.
- Interior stays below 350°F so documents and photos remain safe.
 - Pre-drilled anchor holes and hardware for easy bolt-down.
 - Three sizes (2.21 to 4.88 cu ft) to fit your space and storage needs.
 - Drill-resistant hardplate shields the lock from tampering.
 - Multi-layer drywall insulation in walls for added heat resistance.
 - 12-gauge steel body (twice as thick as typical budget safe bodies).



FIRE RATING
ETL Rating of
45 Minutes at 1200°F



Deep Blue
(AM2020E5)



**Semi-gloss
White**
(AM3020 Plus)



Black Nickel



JS5517

JS Series



JS5517E5



JS2020E5



JS2020 Pedestal



Product Overview

The JS Series delivers AMSEC’s trusted protection in an everyday home safe that won’t break your budget. Available in two versatile sizes, a compact JS2020 for jewelry, documents and small valuables, and a taller JS5517 for larger items, each JS safe provides reliable fire resistance and solid steel security for your home. These safes blend into any room with a clean, modern design, all while safeguarding what matters most from fire and theft.


Despite its affordable price, the JS Series doesn’t cut corners on essential security. It features a pry-resistant steel door, live-locking bolts, and pre-drilled anchor holes for secure bolt-down installation. You get no-nonsense protection without frills, backed by AMSEC’s 75+ years of expertise. It’s genuine peace of mind from a trusted industry leader, proof that you don’t have to compromise on security even when you’re on a budget.



FIRE RATING
ETL Rating of
45 Minutes at 1200°F
(JS2020E5)
(JS4020E5)
(JS5930E5)



FIRE RATING
ETL Rating of
30 Minutes at 1200°F
(JS5517E5)



Semi-gloss
White



Black Nickel



Black Nickel

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
JS2020E5	20" x 20" x 20"	14 ½" x 14 ½"	12 GA	2.30 cu. ft.	180 lbs.	ESL5
JS4020E5	40" x 20" x 20"	34 ½" x 14 ½"	12 GA	4.87 cu. ft.	316 lbs.	ESL5
JS5517E5	55" x 17 ¾" x 16"	49 ½" x 12"	14 GA	5.62 cu. ft.	286 lbs.	ESL5
JS5930E5	59" x 30" x 21"	52" x 22 ¾"	12 GA	12.77 cu. ft.	750 lbs.	ESL5
JS2020 Pedestal	24" X 20" x 20"	N/A	N/A	N/A	70 lbs.	N/A

- Verified fire protection shields valuables from flames and heat.
- Heavy solid-steel construction deters burglary attempts.
- Compact footprint fits in closets, bedrooms, or home offices.
- Affordable peace of mind from a trusted American safe manufacturer.
- Five sizes available to suit different storage needs.

- Professional bolt-down capability for permanent installation.
- Pry-resistant door design adds critical security layer.
- Clean, modern styling complements any home décor.
- Factory-backed quality from 75+ year industry leader.
- Complete fire and theft protection in smart investment.

FS Series



Product Overview

Protect what matters most with the AMSEC FS Series, the only economy-class fire safe featuring a UL-certified Type 1 high-security electronic lock. Despite its affordable price, the FS Series is rigorously tested by UL to ensure it performs when it counts. Each safe withstands extreme 1700°F temperatures for a full hour while keeping the interior below 350°F, so your vital documents, jewelry, and keepsakes remain unharmed when disaster strikes. The easy-to-use ESL5 electronic keypad lights up for quick access and offers a stealth mode for silent entry. It also includes an external battery compartment, so you're never locked out due to a dead battery.

Built with a fire-resistant composite body, chrome-plated steel deadbolts, and smooth ball-bearing door hinges, the FS Series delivers AMSEC's trusted quality at a budget-friendly price. Three sizes are available, from the compact 96-lb FS914 to the roomy 164-lb FS1814 that even includes a built-in key-lock drawer for extra secure storage. Each safe comes with an anchor kit for bolting to the floor. Don't trust your birth certificates, property deeds, and irreplaceable memories to a flimsy big-box store safe, choose the FS Series and get real UL-certified protection without breaking the bank.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
FS914E5LP	14 1⁄8" x 19 1⁄2" x 15 1⁄4"	9 3⁄4" x 15 3⁄8"	2 1⁄8"	0.86 cu. ft.	96 lbs.	ESL5LP
FS149E5LP	19 1⁄2" x 14 1⁄8" x 15 1⁄4"	15 3⁄8" x 9 3⁄4"	2 1⁄8"	0.86 cu. ft.	96 lbs.	ESL5LP
FS1814E5	23 5⁄8" x 18 7⁄8" x 18 1⁄2"	18" x 13 1⁄4"	2 3⁄4"	1.72 cu. ft.	164 lbs.	ESL5

Note: Add 2" to outside depth for handle, dial and hinge projection. Model FS1814E5 has 1 key-lock drawer and 1 adjustable shelf. Dimensions have been converted from metric measurements. Please allow +1⁄4" to -1⁄4" variation for both outer and inner dimensions listed.

- UL-certified 1-hour fire protection (tested at 1700°F).
- UL Type 1 electronic lock blocks "bounce" and magnet attacks.
- External battery compartment lets you change batteries without unlocking.
- Fire clay composite body (up to 2.75" thick) stops heat transfer.
- Chrome-plated steel deadbolts prevent door removal if hinges are cut.

- Backlit keypad with stealth mode for low-light, silent access.
- Automatic 15-minute lockout blocks code-guessing attempts.
- Interior remains under 350°F (paper chars around 450°F), ensuring documents don't char.
- Anchor kit included for secure floor mounting against theft.
- Backed by 75+ years of AMSEC safe-making expertise.



Textured Black Granite



Chrome


EST Series



Product Overview

The AMSEC EST Series gives you big-safe confidence in a small, easy-to-hide package. Designed for homes, offices, dorms, and even RVs, these compact safes provide reliable theft protection without taking up much space. Each EST safe is built with a sturdy 14-gauge steel body and a pry-resistant recessed door with internal hinges, features that help keep thieves out and your valuables in. Two solid steel live-locking bolts secure the door, keeping your cash, passports, jewelry, and small electronics safely locked away.

Even with its budget-friendly size, the EST Series doesn't skimp on convenient features. Every model comes with AMSEC's DL6000 electronic lock with an LCD display for fast, easy access, plus a built-in motion sensor alarm and a stealth mode to prevent unauthorized tampering. The interior is carpeted floor to protect your items from scratches, and a removable shelf (in larger models) helps organize your belongings. You can bolt the safe down using the included anchor hardware so no one can walk off with it, and an emergency override key ensures you're never locked out of your safe. Available in four sizes (EST813, EST916, EST1014, and EST2014) and backed by a one-year factory warranty, the EST Series offers an affordable way to add real security to any space.



Textured Cream

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
EST813	7 7⁄8" x 12 1⁄4" x 8"	5 3⁄4" x 8 1⁄4"	14 GA	0.29 cu. ft.	16 lbs.	DL6000
EST916	9" x 16" x 13 1⁄4"	6 3⁄4" x 12 1⁄8"	14 GA	0.90 cu. ft.	27 lbs.	DL6000
EST1014	9 7⁄8" x 13 3⁄4" x 9 7⁄8"	7 5⁄16" x 9 3⁄8"	14 GA	0.54 cu. ft.	22 lbs.	DL6000
EST2014	19 3⁄4" x 13 3⁄4" x 12 1⁄4"	17 1⁄8" x 9 1⁄4"	14 GA	1.53 cu. ft.	40 lbs.	DL6000

- Four compact sizes protect cash, jewelry, passports, and other key documents.
- 14-gauge steel body and dual live bolts resist prying and forced entry.
- DL6000 electronic lock with LCD makes access fast, simple, and intuitive.
- Built-in motion alarm and spy-proof lock help deter tampering and snooping.
- Recessed, pry-resistant door and internal hinges add another layer of security.

- Bolt-down design with included anchor hardware keeps thieves from walking off.
- Carpeted floor and removable shelf options protect finishes and organize.
- Clean cream finish blends into home, office, dorm, RV, or rental décor.
- Backed by AMSEC's one-year warranty and 75+ years of expertise.

IRC Safe



Product Overview

The IRC916 is a compact electronic safe designed to provide serious protection without taking up serious space. Built with heavy-duty steel construction and an advanced motorized locking mechanism, this safe secures your jewelry, documents, laptop, and other valuables whether you're at home, in the office, or on the road. With its textured black finish and a space-saving design, the IRC916 tucks discreetly into closets, under desks, or inside cabinets, giving you convenient access to important items without drawing attention.

Despite its small size, the IRC916 is big on user-friendly security features. The ADA-compliant keypad has a large LED display and accepts a 4- to 6-digit PIN code or even a swipe of your credit card for entry. After multiple incorrect code attempts, the safe activates a 15-minute lockout to frustrate would-be thieves. You'll never be locked out yourself, though, an emergency override key and external battery backup ensure you can always open the safe when needed. With quick-mounting hardware included and a soft carpeted floor to prevent scratches, the IRC916 combines robust construction with modern convenience for peace of mind in any setting.



Textured Black

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
IRC916	9" x 16" x 14"	6 7/16" x 13"	14 GA	0.97 cu. ft.	29 lbs.	4 to 6 Digit Combination or Electric Credit Card Reader

- Heavy-duty steel construction stops forced entry attempts cold.
 - Spacious 0.97 cu ft interior fits most laptops and other valuables.
 - ADA-compliant keypad with large LED display for easy operation.
 - Accepts a 4–6 digit PIN or a swipe of your credit card to unlock.
 - 15-minute lockout penalty frustrates attempted codebreakers.
- Emergency override key and battery backup ensure you're never locked out.
 - Compact design hides discreetly in closets, drawers, or cabinets.
 - Soft carpeted interior protects items from scratches and damage.
 - Quick installation with mounting hardware makes setup easy.
 - Instant PIN code reset makes it ideal for hotels or shared use.

MS Safe



Product Overview

The MS1414 Safe packs serious burglary protection into a compact 14-inch cube that you can hide almost anywhere, inside a closet, under a desk, or beside a nightstand. Don't be fooled by its small size: this safe is built like a mini vault. It boasts a B-rated all-steel construction, including a 1/2-inch-thick solid steel plate door and an 11-gauge steel body made from the same A36 alloy steel used in bank vaults. Three large 1-inch diameter chrome-plated locking bolts secure the door while a spring-loaded relocker and a carburized hardplate guard the lock mechanism. Together, these features thwart prying, drilling, and other forced-entry attacks.

Backed by AMSEC's 75+ years of engineering expertise, the MS1414 gives security-conscious homeowners and small business owners alike genuine peace of mind for their cash, jewelry, important documents, and other valuables. You can choose between a UL-listed electronic keypad lock or a classic mechanical dial, whichever you prefer. Four pre-drilled holes in the base allow for easy bolt-down to a floor or shelf, adding even more protection against theft. With a pedigree trusted by banks, government agencies, and security professionals worldwide, the MS1414 brings true commercial-grade security right into your home or office.




Textured Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
MS1414E1	14" x 14" x 14"	9 3/4" x 9 3/4"	11 GA	1.20 cu. ft.	67 lbs.	ESL10

- 1/2-inch thick solid steel plate door stops pry attacks cold.
 - B-rated construction meets insurance security requirements.
 - Built with the same A36 industrial-grade steel used in bank vaults.
 - Three 1-inch diameter locking bolts secure the door.
 - Spring-loaded relocker automatically defeats tampering attempts.
- Compact 14-inch cube easily fits in closets, offices, and other tight spaces.
 - Solid 67-lb steel body with anchor holes for bolt-down security.
 - Choice of electronic lock or traditional mechanical dial.
 - Carburized hardplate shields the lock from drilling attempts.
 - Backed by 75+ years of AMSEC engineering expertise.

WS Series



Product Overview

AMSEC’s WS Series in-wall safes provide serious protection while disappearing into your home’s decor. Designed to install between standard 16-inch wall studs, models like the WS1214, WFS149, and WEST2114 let you keep jewelry, cash, documents, and other valuables hidden behind a picture or inside a closet wall. Each WS safe is built from heavy-gauge steel with a pry-resistant door and live locking bolts, so even though it’s concealed, it still puts up a strong fight against intruders. There’s a model for every need: the WS1214 offers an extra-deep interior for bulkier valuables, the WFS149 adds UL-certified 1-hour fire protection for important papers and cash, and the WEST2114 features a modern DL6000 touchscreen LCD lock with a time display and adjustable shelves.

Whether installed in a closet, behind artwork, or in a home office, these flush-mount wall safes are engineered for both real-world security and everyday convenience. Thick steel doors with recessed hinges and relocker devices resist prying or punch attacks, keeping your hidden safe just as secure as a conventional safe. Yet it’s easy to live with: interiors are fully carpeted to protect your valuables, and removable shelves help you organize your storage. Installation is straightforward thanks to pre-drilled bolt holes and a built-in flange that covers drywall edges, giving you a clean, finished look without requiring custom trim. With the WS Series, you get hidden protection that doesn’t compromise on security or style.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
WS1214E5	12 5/8" x 14" x 10"	10 3/4" x 11 1/4"	7 GA	0.51 cu. ft.	86 lbs.	ESL5
WFS149E5LP	19 1/2" x 14" x 15 3/8"	15 1/4" x 9 3/4"	2 1/8"	0.85 cu. ft.	104 lbs.	ESL5LP
WEST2114	21 1/8" x 13 7/8" x 4"	19 1/4" x 10 1/4"	14 GA	0.42 cu. ft.	31 lbs.	DL6000

- Fits cleanly between standard 16-inch on-center wall studs for easy installation.
- Flush-mount design hides behind art, mirrors, or closet shelves.
- Heavy-gauge steel body resists prying and drilling attempts with ease.
- Thick steel door with live locking bolts defends against attacks.
- **WS1214:** Extra-deep interior for larger valuables and bulkier items.
- **WEST2114:** DL6000 touchscreen LCD lock with time display and adjustable shelves.
- High-security electronic locks with override key for backup access.
- Carpeted interior and removable shelves for easy organization.
- Built-in flange covers cut drywall and speeds up installation.



AM3020 Plus

COMMERCIAL SAFES



RMM Series



Product Overview

AMSEC's RMM Series (Retail Money Manager) safes are purpose-built for modern cash management, combining robust security with smart design features. As the industry's #1 selling cash management safe line, the RMM Series has earned its reputation by helping businesses like convenience stores, restaurants, and retail shops secure their daily revenue with confidence. Constructed with a formidable 1/2-inch-thick solid steel plate door and a reinforced high-tensile steel body, these safes resist prying, sledgehammer attacks, and drilling attempts. Each safe is equipped with multiple anti-theft measures such as 10 anti-spread door pins and auxiliary relocking devices for maximum protection.

Beyond brute strength, the RMM Series offers practical cash-handling conveniences. A large deposit drawer allows staff to drop cash deposits quickly into an internal locker without opening the main safe, reducing exposure and keeping cash secured at all times. Removable coin racks on the door provide organized storage for change, and an inner compartment can store cash tills or high-value items separately. Advanced electronic locks (including audit-trail capable options like the ESLAudit II) ensure that access is controlled and documented, enhancing accountability. With its space-efficient under-counter design and proven reliability, the RMM Series delivers total cash control and peace of mind for busy operations.



Textured
Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
RMM2620SW-R	26" x 20" x 18 1/2"	18 1/4" x 15 1/2"	11 GA	4.6 cu. ft.	230 lbs.	SafeWizard II
RMM2620ESLAudit-R	26" x 20" x 18 1/2"	18 1/4" x 15 1/2"	11 GA	4.6 cu. ft.	230 lbs.	ESLAudit II
RMM2620ESL20-R	26" x 20" x 18 1/2"	18 1/4" x 15 1/2"	11 GA	4.6 cu. ft.	230 lbs.	ESL20
RMM3124ESLAudit	31" x 24 1/2" x 20"	Left: 28" x 13 1/2" Right: 12 5/8" x 5 3/4"	11 GA	Left: 4.76 cu. ft. Right: 2.16 cu. ft.	360 lbs.	ESLAudit II

Left-swing door available on RMM2620 models only.

- **1/2-inch-thick solid steel plate door with 10 anti-spread pins:** Resists prying attacks.
 - **Three-way locking with five large bolts:** Multi-point locking maximizes security.
 - **Quick "drop" deposit drawer:** Allows deposits without opening the safe.
 - **Internal locking compartment:** Separates and secures dropped deposits from main storage.
 - **Door-mounted coin racks:** Organize coins and change for daily operations.
- **Reinforced steel body construction:** High-tensile steel walls resist attack.
 - **Advanced electronic locks with audit trail:** Audit-trail locks track access.
 - **Compact under-counter design:** Fits below counters for discreet, space-saving use.
 - **Anchorable heavy-duty safe:** Pre-drilled anchor holes allow bolting the safe to floors or counters for stability.
 - **Ideal for retail and C-store use:** Ideal for high-cash, multi-employee businesses.

MM Series



Product Overview

AMSEC’s Money Manager (MM) Series safes are B-rated, under-counter depository safes engineered to give businesses total cash control over their daily receipts. Each MM Series safe features a dual-door design: a top compartment that serves as a receiving locker for quick cash deposits, and a lower compartment that provides secure storage for cash trays, coin rolls, or other valuables. This innovative layout allows managers to segregate and secure drops during a shift while still having easy access to change and till drawers for daily operations. The MM Series supports multiple deposit configurations – including models with front-loading or top-loading slots and even tri-slot setups with color-coded drop chutes for sorting cash by denomination or shift.

Built to the same robust standards as AMSEC’s other cash safes, the Money Manager Series boasts a solid steel plate door and heavy gauge steel body to resist attacks. Three substantial locking bolts, internal relocking devices, and a hardened steel plate shield the lock mechanism from drilling or punching attempts. Anti-fish baffles on the deposit slots prevent thieves from retrieving contents through the drop slot. With a roomy interior capable of holding up to four standard cash tills, the MM Series streamlines cash handling for businesses, all while keeping your funds protected and organized.



Textured
Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
MM2820 CTR-Drop-E2	28" x 20 ½" x 20"	TOP: 8 ½" x 16 ¼" BTM: 8 ½" x 16 ¼"	11 GA	1.87 cu. ft. 2.16 cu. ft.	278 lbs.	ESL20
MM2820 CTRDrop-ESLAudit	28" x 20 ½" x 20"	TOP: 8 ½" x 16 ¼" BTM: 8 ½" x 16 ¼"	11 GA	1.87 cu. ft. 2.16 cu. ft.	278 lbs.	ESLAudit II

- **Dual-door safe for deposits & storage:** Separate top deposit locker and lower cash storage compartment.
 - **Multiple drop slots (top/front):** Models available with various deposit slot configurations, including triple-drop options.
 - **Color-coded drop bins:** Sort deposits by shift or type for easier cash management.
 - **Holds up to four cash till trays:** Spacious lower compartment fits standard cash drawers for end-of-day storage.
 - **Solid steel B-rated construction:** Thick steel plate door and body provide rugged burglary protection.
- **Three 1-inch diameter locking bolts:** Three large steel bolts secure the door on multiple sides to prevent prying.
 - **Internal relocker & hardplate:** Relocking device and hardened steel plate shield the lock against attack.
 - **Anti-fish deposit baffles:** Special baffle design stops thieves from fishing out deposits through the slot.
 - **Anchorable heavy-duty safe:** Pre-drilled anchor holes allow bolting the safe to floors or counters for stability.
 - **Boosts cash-handling efficiency:** Improves shift accountability and reduces losses by securing cash drops immediately.


BWB Drop Series



Product Overview

The BWB Drop Series safes are wide-body depository safes designed for businesses that demand quick deposit capability and ample internal space for cash storage. These safes are built with B-rated heavy-duty construction, including up to a 1/2-inch-thick solid steel plate door and thick steel walls, to resist forced entry attempts. Each safe features a front or top-loading deposit slot (depending on model) equipped with saw-toothed anti-fish baffles to prevent retrieval of dropped items. This allows employees to securely drop cash, checks, or envelopes into the safe throughout the day without needing to open the main door.

Inside the BWB Drop Series, the wide interior compartment is spacious enough to accommodate entire cash register tills or bulk valuables, making end-of-day lockup quick and easy. Additional features like a hardened steel locking mechanism with five large live bolts, spring-loaded relocking devices, and a drill-resistant hardplate protect against attacks. For convenience, a recessed coin rack is often built into the door to organize change. The BWB Drop Series comes in various sizes and configurations, all designed to keep high-volume cash operations secure and efficient.



Textured
Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
BWB2020FL	29 ¾" x 20" x 20"	14 ¾" x 16 ¼"	11 GA	1.74 cu. ft.	218 lbs.	ESL10
BWB3020-D1	30" x 20" x 20"	24 ¾" x 16 ¼"	11 GA	3.7 cu. ft.	270 lbs.	Mechanical
BWB3020FL	39 ¾" x 20" x 20"	24 ¾" x 16 ¼"	11 GA	3.7 cu. ft.	278 lbs.	ESL10
BWB4020FL	49 ¾" x 20" x 20"	34 ¾" x 16 ¼"	11 GA	5.63 cu. ft.	360 lbs.	ESL10

- **11-gauge body & 1/2-inch-thick steel door:** Tough B-rated construction resists prying and drilling.
 - **Front or top deposit slot:** Drop cash without unlocking the safe.
 - **Anti-fish baffle design:** Saw-tooth baffles prevent fishing out deposits.
 - **Five 1-inch diameter locking bolts:** 3-way boltwork with five 1-inch diameter bolts secures the door.
 - **Spring-loaded relocker:** Re-locks bolts if lock is tampered.
- **Spacious wide interior:** Fits full cash trays and bulk valuables.
 - **Interior locker:** An Inner compartment keeps deposits separate.
 - **Door-mounted coin rack:** Built-in holder for rolled coins.
 - **Bolt-down ready for stability:** Pre-drilled anchor holes for floor mounting.
 - **Ideal for cash-heavy businesses:** Great for retail stores, restaurants, and gas stations.

BWB Series



Product Overview

The BWB Series wide-body safes are tough, B-rated business safes built to securely hold cash register drawers and other valuables. They're ideal for quick access to change, deposits, and daily cash storage needs. Built with security at its core, each BWB safe features a recessed 1/2-inch-thick solid steel plate door engineered to resist pry attacks, and a reinforced steel body with continuous welds for strength. A three-way locking mechanism with five 1-inch diameter chromed steel bolts secures the door on all sides when locked, and internal jamb reinforcements on all four sides add extra protection against sledgehammer strikes.

Inside, the wide design offers practical storage for businesses: you can fit entire till trays without having to remove the cash, making end-of-day safe storage fast and easy. Adjustable shelves help organize the interior for money bags, receipts, or other items, and a recessed coin rack on the door provides a handy spot for rolled coins or change. Additional security enhancements include a large carburized hardplate that shields the lock and relocker from drills, and a spring-loaded relocking device that triggers if the lock is attacked. Four anchor bolt holes in the bottom allow you to bolt the safe securely to the floor for added security. With its compact under-counter profile and heavy-duty design, the BWB Series is a go-to choice for small businesses that need reliable cash protection every day.



Textured
Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
BWB2020	20" x 20" x 20"	14 3/4" x 16 1/4"	11 GA	3.83 cu. ft.	154 lbs.	ESL10
BWB3020	30" x 20" x 20"	24 3/4" x 16 1/4"	11 GA	5.78 cu. ft.	218 lbs.	ESL10
BWB4020	40" x 20" x 20"	34 3/4" x 16 1/4"	11 GA	7.72 cu. ft.	272 lbs.	Mechanical Lock

- **1/2-inch-thick solid steel plate door:** Thick, pry-resistant door provides B-rated burglary protection.
 - **Five 1-inch diameter locking bolts:** Three-way boltwork with five chromed steel bolts secures the door on all sides.
 - **Reinforced door jamb & dead bar:** Strengthened frame and hinge-side dead bar thwart prying or door removal.
 - **Large wide-body interior:** Spacious design fits full cash register trays and bulky valuables with ease.
 - **Adjustable shelving:** Removable shelves for organizing contents.
- **Door-mounted coin rack:** A built-in coin rack keeps spare change organized.
 - **Drill-resistant hardplate:** Hardened plate protects lock from drilling attacks.
 - **Spring-loaded relocker:** Internal relocker triggers if lock is punched, keeping bolts locked.
 - **UL-listed lock:** High-security combination or digital locks meet UL security standards.
 - **Easy under-counter installation:** Pre-drilled anchor holes for bolting down, ideal for under-counter use.

DSF Series



Product Overview

AMSEC's DSF Series safes are front-loading depository safes designed to provide immediate, secure storage for cash deposits in businesses. Each DSF safe features a deposit hopper on the front of the safe. Employees can drop cash, checks, or envelopes through this hopper, where they fall into a secure compartment inside the safe. This setup means staff can deposit funds quickly throughout the day without needing to open the safe, reducing exposure of cash. To retrieve deposits, an internal receiving compartment (accessible via a separate locked door) keeps those funds secure from unauthorized access until a manager can collect them.

Built with rugged B-rate construction, DSF Series safes utilize a 1/2-inch-thick solid steel plate door and a 11 gauge steel body thickness to resist pry attacks and forced entry. Three large locking bolts and a bolt detent system automatically engage when the door closes to ensure it's always securely locked. Additional security measures include a carburized hardplate protecting the lock and a spring-loaded relocking device that triggers if the lock is attacked. The front-loading depository itself is designed with anti-fish baffles, preventing thieves from reaching in to pull out contents once deposited. With anchor holes for floor mounting and options for advanced electronic locks (including time-delay features on some models), the DSF Series offers reliable, everyday protection for cash-heavy environments.



Textured
Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
DSF2014	20 1/4" x 14" x 14"	9 3/4" x 9 3/4"	11 GA	0.74 cu. ft.	84 lbs.	ESL10 or ESL20
DSF2516	25" x 16" x 20"	14 1/2" x 12"	11 GA	0.88 cu. ft.	155 lbs.	ESL20
DSF2714	27 1/4" x 14" x 14"	9 3/4" x 9 3/4"	11 GA	1.5 cu. ft.	96 lbs.	ESL10
DSF3214	32 1/4" x 14" x 14"	9 3/4" x 9 3/4"	11 GA	0.98 cu. ft.	138 lbs.	ESL10

- **Front-load deposit door:** Easy-access drop door on the safe's front for quick deposits without unlocking.
 - **Anti-fish hopper design:** Internal baffles and saw-tooth edges prevent fishing out envelopes once deposited.
 - **Dual-compartment security:** Separate interior locker catches deposits and stays locked, accessible only by authorized staff.
 - **B-rated all-steel construction:** 1/2-inch-thick solid steel plate door and thick steel body resist prying and drilling.
 - **Three solid steel locking bolts:** Multiple 1-inch diameter bolts secure the door tightly for enhanced break-in resistance.
- **Auto door locking system:** Bolt detent mechanism automatically locks the door bolts when the door is shut.
 - **Hardplate and relocker protection:** A hardened steel plate and spring-loaded relock device help protect the lock from drilling and punching.
 - **Time-delay lock options:** Available electronic locks offer multi-user and time-delay features.
 - **Anchoring ready:** Can be bolted to the floor to prevent removal.
 - **Ideal for retail deposits:** Keeps daily cash deposits secure, reducing theft risks.

DSR Series



Product Overview

AMSEC’s DSR Series safes are rear-loading depository safes specially designed for through-the-wall deposits or any situation where deposits are made from the back side of the safe. These safes feature a reverse hopper chute that extends through a wall or partition, allowing staff or armored couriers to drop cash and valuables directly into the safe from an adjacent area. The chute’s length is adjustable to fit different wall thicknesses, and it includes anti-fish baffles to prevent retrieval of deposited items from the drop opening. This unique design is ideal for businesses like convenience stores or restaurants that need to make secure deposits from a customer-facing side into a safe located in a secure back office.

The DSR Series is built to provide high-security overnight protection for cash. It carries a B-rate construction with a solid 1/2-inch-thick steel plate door and a sturdy steel body (approx. 1/8-inch-thick) that together form a strong defense against attack. Inside, the safe is divided into dual compartments: a lower till storage section that can hold several cash till trays, and a separate lockable receiving locker where dropped deposits are collected. This two-compartment system ensures deposits remain sealed off until management access. Three large locking bolts secure the door, aided by an auto-lock detent system and an auxiliary spring-loaded relocker for extra protection. Additionally, a UL-rated electronic lock with multiple user codes and a programmable time-delay feature comes standard to deter hold-up scenarios. With its heavy-duty construction and specialized rear-drop design, the DSR Series offers a secure and convenient solution for businesses requiring through-the-wall cash deposits.



Textured
Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
DSR2516	25" x 16" x 20"	14 ½" x 12"	11 GA	2.13 cu. ft.	260 lbs.	ESL20

- **Rear-loading deposit chute:** Allows secure deposits through the back of the safe.
 - **Adjustable through-wall hopper:** Deposit chute extends through walls 6-inch–14-inch thick.
 - **Dual anti-fish baffles:** Reverse hopper with saw-tooth baffles to prevent fishing out deposits.
 - **Two separate compartments:** One section for storing cash trays plus a separate locked deposit compartment.
 - **B-rated solid steel construction:** 0.5-inch-thick steel plate door and 0.125-inch-thick steel body provide strong burglary resistance.
- **Triple locking bolt system:** Three large 1-inch diameter steel bolts secure the door; auto-lock detent engages on closing.
 - **Hardplate and relocker:** Carburized hardplate and auxiliary relocking device protect against drilling and punching.
 - **High-security electronic lock:** Includes a UL Type 1 digital lock with multi-user codes and time-delay.
 - **Bolt-down installation:** Safe has anchor holes to bolt it to the floor for stability.
 - **Secure unattended deposits:** Ideal for fast-food, gas stations, or banks to drop deposits from a public side into a locked back-room safe.


BLC Series



Product Overview

AMSEC’s BLC Series safes are high-security “C”-rated plate safes built to protect daily operating funds, documents, and merchandise at an economical price. Each BLC safe features a massive 1-inch-thick solid steel plate door and a 1/2-inch-thick steel body, significantly more steel than standard B-rated safes, giving it a formidable barrier against forced entry attempts. The door is recessed and pry-resistant, fitted with a UL listed Group 2 combination lock with 1 million possible combinations, and secured by a trio of 1-inch diameter chromed steel locking bolts.

The BLC Series is engineered with comprehensive security features. A large carburized hardplate protects the lock and internal relocking devices from drilling, and a spring-loaded relocker will deadbolt the safe if the lock is punched out. The 1/2-inch-thick solid steel body is continuously welded and reinforced with a frame that gives the appearance of 1-inch-thick walls, deterring attackers by sheer strength and thickness. Inside, these safes offer versatile storage with multiple adjustable shelves for organizing cash, documents, or valuables, all in an attractive textured finish. AMSEC also offers custom interior configurations for BLC safes, complete with detailed design consultations and sketches to tailor the safe to your business needs. The BLC Series provides an affordable yet top-tier security solution for businesses requiring more protection than a standard B-rate safe.



Textured
Charcoal Gray



Chrome

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
BLC2018	21" x 19" x 16"	18 ½" x 16 ½"	½"	2.5 cu. ft.	370 lbs.	UL Group II
BLC3018	31" x 19" x 20"	28 ½" x 16 ½"	½"	5 cu. ft.	550 lbs.	UL Group II
BLC3024	31" x 25" x 24"	28 ½" x 22 ½"	½"	8.3 cu. ft.	740 lbs.	UL Group II
BLC4024	41" x 25" x 24"	38 ½" x 22 ½"	½"	11.11 cu. ft.	925 lbs.	UL Group II

- **1-inch-thick solid steel door:** Massive, pry-resistant door provides “C” rate burglary protection.
 - **1/2-inch-thick solid steel body:** Heavy steel walls with reinforced frame present a formidable barrier to attacks.
 - **Three 1-inch diameter chrome locking bolts:** Large steel bolts engage the door for a secure lockup.
 - **Full-length hinge side dead bar:** Rigid steel dead bar prevents door removal if hinges are cut.
 - **Hardplate armor:** Massive carburized hardplate protects the lock and relocker from drilling attempts.
- **Spring-loaded relock device:** Relocker triggers to keep the safe locked if the lock is punched.
 - **UL-listed Group 2 lock:** High-security dial combination lock (mechanical, 1 million possible combinations).
 - **Adjustable interior shelving:** Multiple shelves can be moved or removed to organize cash, documents, or valuables.
 - **Custom configurations available:** Can be built in custom sizes or interiors to meet unique business needs.
 - **Premium American-made quality:** Proudly built in the USA with top craftsmanship for long-term use.

BLB Series



Product Overview


AMSEC’s BLB Series safes are solidly built, economical B-rated security safes offering reliable protection for cash and valuables in a compact, customizable form factor. Each BLB safe features a 1/2-inch-thick solid steel plate door and a 1/4-inch-thick continuously welded steel body, giving it substantial burglary resistance for its size. The door is recessed to resist prying and equipped with a UL Group 2 key-changeable combination lock (with relock feature and 1 million possible combinations). When locked, a trio of 1-inch diameter chromed steel bolts secure the door, while a full-length steel dead bar on the hinge side ensures the door cannot be removed even if the hinges are cut off.

The BLB Series comes equipped with a suite of anti-theft features typically found in higher-rated safes. A large carburized hardplate protects the lock area, and if a thief attempts a brute-force attack by punching out the lock, a spring-loaded relocking device will automatically deadbolt the safe to thwart the break-in. Inside, BLB safes include adjustable shelves (usually two) to help organize your contents, and they come in an attractive gray textured finish that suits any business setting. AMSEC can customize the interior or dimensions to meet specific needs. The BLB Series delivers premium American-made security at an economical price point for small businesses, restaurants, and retail stores.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
BLB2018	20 ½" x 18 ½" x 15"	18" x 16"	4 GA	2.5 cu. ft.	218 lbs.	UL Group II
BLB3018	30 ½" x 18 ½" x 19"	28" x 16"	4 GA	5 cu. ft.	312 lbs.	UL Group II
BLB3024	30 ½" x 24 ½" x 23"	28" x 22"	4 GA	8.3 cu. ft.	360 lbs.	UL Group II
BLB4024	40 ½" x 24 ½" x 23"	38" x 22"	4 GA	11.11 cu. ft.	445 lbs.	UL Group II

- **1/2-inch-thick steel plate door:** Stout door with 1/2-inch-thick solid steel resists prying and forced entry attempts.
- **1/4-inch-thick solid steel body:** Fully welded 1/4-inch-thck steel walls earn a “B” burglary rating for reliable protection.
- **Three 1-inch diameter locking bolts:** Three chrome-plated steel bolts lock the door firmly to the frame for solid security.
- **Anti-pry hinge bar:** Full-length dead bar on the hinge side prevents door removal if hinges are cut.
- **Drill-resistant hardplate:** Case-hardened steel hardplate safeguards the lock mechanism from drilling attempts.

- **Automatic relocking device:** Spring-loaded relocker activates if the lock is punched out, securing the bolts.
- **UL Group 2 combination lock:** Reliable high-security lock with 1 million combinations (electronic upgrades available).
- **Adjustable shelves:** Includes shelves that can be repositioned to organize cash, documents, and valuables.
- **Economical custom design:** Custom-built to specific size or interior needs, combining security and affordability.
- **Proudly made in the USA:** Backed by AMSEC’s 75+ years of safe manufacturing expertise.



Textured
Charcoal Gray



Chrome

CFX Series



Shown with optional auxiliary key lock

FIRE RATING
Rating of
120 Minutes at 1850°F

SECURITY RATING
TL-30×6 Burglary
Tool Resistant Safe

MADE IN USA

**Textured
Charcoal Gray**

Chrome

Product Overview

The CFX Series safes represent the pinnacle of commercial security, featuring UL TL-30X6 ratings that certify they withstand concentrated burglary attacks on all six sides. These high-security AMVAULTx6 safes incorporate a 3-inch-thick defense barrier in the walls, made of high-strength concrete composite enclosed by high-tensile steel, along with a massive 6-inch-thick door. This formidable construction, combined with advanced boltwork and internal reinforcements, earned the CFX Series the highest UL rating of its class, a testament to its ability to resist prying, drilling, cutting, and powerful tools on every side.

Not only are CFX safes built to thwart burglars, they also provide robust fire protection. Each safe is rated for a 2-hour fire endurance to keep contents safe from fire damage. The door is secured by a multi-directional bolt system with numerous massive locking bolts on all sides of the door, and a drill-resistant locking mechanism protected by hardened plates and relockers. Inside, the CFX offers a spacious, well-appointed interior that can be customized with drawers, shelves, or other configurations to meet your needs. All CFX models are proudly made in the USA to the highest quality standards and come equipped with UL-rated high-security locks (mechanical or electronic) for ultimate peace of mind. For jewelry stores, banks, and other high-value operations requiring maximum protection, the CFX Series delivers uncompromising security.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Number of Shelves	Weight
CFX252016	31" x 26" x 25 ¼"	25" x 20"	3"	4.6 cu. ft.	1	1,433 lbs.
CFX352020	41" x 26" x 29 ¼"	35" x 20"	3"	8.1 cu. ft.	2	1,946 lbs.
CFX452020	51" x 26" x 29 ¼"	45" x 20"	3"	10.4 cu. ft.	3	2,343 lbs.
CFX582820	64" x 34" x 29 ¼"	58" x 28"	3"	18.8 cu. ft.	4	3,418 lbs.
CFX703620	76" x 42" x 29 ¼"	70" x 36"	3"	29.2 cu. ft.	4	4,578 lbs.
Lock Type: Combination Lock with Key-Locking Spy-Proof Dial Combination Lock with Spy-Proof Dial ESL5 ESL10						

- **UL TL-30X6 high-security rating:** Certified to withstand expert burglary attacks on all 6 sides.
 - **Thick composite construction:** 6-inch-thick multi-layer steel door and 3-inch-thick barrier walls with high-strength concrete fill.
 - **Two-hour fire rated:** Survives intense fires with a 120-minute 1850°F fire rating, protecting interior contents.
 - **Massive locking boltwork:** Multiple large-diameter locking bolts on all sides of the door provide vault-like security.
 - **Drill and torch resistant:** Special composite materials and hardened steel armor defeat drills, grinders, and cutting torches.
- **Advanced relocking systems:** Multiple relockers secure the safe if the lock or bolts are attacked.
 - **UL-listed high-security lock:** Equipped with a UL-rated combination or digital lock that resists manipulation (time-delay capable).
 - **Customizable interior:** Can be outfitted with jewelry drawers, shelves or other organizers to suit your valuables.
 - **Heavy-duty design:** Extremely sturdy with robust hinges and a thick frame, deterring removal and tampering.
 - **Top-tier American craftsmanship:** Proudly made in the USA for the most demanding applications.

CF Series



Shown with optional lock

FIRE RATING
Rating of
120 Minutes at 1850°F

SECURITY RATING
TL-30 Burglary
Tool Resistant Safe

MADE IN USA

**Textured
Charcoal Gray**

Satin

Product Overview

The CF Series safes (AMVAULT TL-30) are high-security composite safes that provide formidable protection for cash, jewelry, and sensitive assets. Each CF safe is constructed with a massive 6-inch-thick composite door and a 3.5-inch-thick body, filled with a special high-density composite material that blunts attacks from tools. This advanced construction gives the CF Series the strength to endure concentrated burglary attempts on the safe's front face for at least 30-minute, a level of protection often required by jewelry stores, pawn shops, and commercial operations holding substantial assets.

In addition to burglary resistance, the CF Series offers exceptional fire protection: a UL-certified 2-hour fire rating (at 1850°F) ensures the safe can survive extreme heat while keeping interior temperatures below 350°F. The CF safes feature a sophisticated boltwork mechanism with multiple massive locking bolts extending from the door into all sides of the frame when locked, thwarting prying and forced-entry attempts. A carburized hardplate and multiple relocking devices shield the safe's UL Group 2M combination lock (or optional electronic lock) from drilling or manipulation attacks. With adjustable shelving and a range of size options available, the CF Series strikes an ideal balance between top-tier security and functional storage space. Each safe is proudly made in the USA and delivers reliable, time-tested protection for high-value assets.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Number of Shelves	Weight
CF1814	25" x 21" x 21 ½"	18" x 14"	3 ½"	1.8 cu. ft.	1	758 lbs.
CF2518	32" x 25" x 25 ½"	25" x 18"	3 ½"	4.2 cu. ft.	1	1,195 lbs.
CF3524	42" x 31" x 29 ½"	35" x 24"	3 ½"	9.7 cu. ft.	2	1,908 lbs.
CF4524	52" x 31" x 29 ½"	45" x 24"	3 ½"	12.5 cu. ft.	3	2,311 lbs.
CF5524	62" x 31" x 29 ½"	55" x 24"	3 ½"	15.3 cu. ft.	3	2,679 lbs.
CF6528	72" x 35" x 29 ½"	65" x 28"	3 ½"	21.1 cu. ft.	4	3,359 lbs.
CF7236	79" x 43" x 32 ½"	72" x 36"	3 ½"	34.5 cu. ft.	4	4,426 lbs.
Lock Type: Combination Lock with Key-Locking Spy-Proof Dial Combination Lock with Spy-Proof Dial ESL5 ESL10						

- UL TL-30 burglary certified:** Resists expert safecracking.
 - 6-inch-thick composite door:** Massive door with layers of steel and high-density composite material stops drills and saws.
 - 3.5-inch-thick reinforced body:** Thick composite walls provide a strong barrier against forced entry and heat.
 - Two-hour fire protection:** Keeps interior below 350°F for 2 hours in a 1850°F fire.
 - Robust locking bolts:** Multiple large diameter locking bolts secure the door on all sides, preventing prying attacks.
- Hardplate & relockers:** A steel hardplate and multiple relocking devices guard the lock, activating if the safe is attacked.
 - UL high-security lock:** Comes standard with a UL-listed Group 2M mechanical dial lock for reliable access control.
 - Spacious, configurable interior:** Adjustable shelves let you organize cash, jewelry, or documents in the ample space.
 - Multiple sizes available:** Offered in various dimensions to fit small business to large commercial needs.
 - Proudly USA-made:** Built in the USA with premium materials, ideal for jewelers, pawn shops, and any business needing serious security.

CE Series



FIRE RATING
Rating of
120 Minutes at 1850°F

SECURITY RATING
TL-15 Burglary
Tool Resistant Safe

MADE IN USA

**Textured
Charcoal Gray**

Chrome

Product Overview

AMSEC's CE Series safes (AMVAULT TL-15) provide a high level of defense for valuable assets, combining UL TL-15 rated burglary construction with robust fire protection. These safes feature a formidable 6-inch-thick composite door and a 3 1/2-inch-thick body, like the higher TL-30 models, but engineered to defeat break-in attempts under UL's rigorous testing. The CE Series leverages multiple layers of steel and proprietary composite fill to create a barrier that effectively resists prying, drilling, and cutting attacks on the safe's front.

Each safe also offers exceptional fire resistance, with a 2-hour fire rating (tested up to 1850°F) to protect contents from high-heat disasters. Security features include a heavy-duty locking mechanism with numerous large locking bolts securing all sides of the door (including an optional three-way boltwork upgrade for even more coverage). Critical areas like the lock and boltwork are guarded by hardened steel hardplates and relocking devices, which will deadlock the safe if a burglar tries to tamper with the lock. CE Series safes come standard with a UL-listed high-security lock (mechanical combination dial) that can be factory-fitted with an electronic lock for convenience. Inside, adjustable shelving or custom interior configurations allow you to organize your valuables effectively. Built in the USA with AMSEC's renowned craftsmanship, the CE Series is an excellent choice for businesses that need serious security for cash, jewelry, and important documents, with slightly more budget-friendly specs than the top-tier TL-30 safes.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Number of Shelves	Weight
CE1814	25" x 21" x 21 ½"	18" x 14"	3 ½"	1.8 cu. ft.	1	710 lbs.
CE2518	32" x 25" x 25 ½"	25" x 18"	3 ½"	4.2 cu. ft.	1	1,105 lbs.
CE3524	42" x 31" x 29 ½"	35" x 24"	3 ½"	9.7 cu. ft.	2	1,674 lbs.
CE4524	52" x 31" x 29 ½"	45" x 24"	3 ½"	12.5 cu. ft.	3	2,200 lbs.
CE5524	62" x 31" x 29 ½"	55" x 24"	3 ½"	15.3 cu. ft.	3	2,343 lbs.
CE6528	72" x 35" x 29 ½"	65" x 28"	3 ½"	21.1 cu. ft.	4	3,153 lbs.
CE7236	79" x 43" x 32 ½"	72" x 36"	3 ½"	34.5 cu. ft.	4	4,880 lbs.
Lock Type: Combination Lock with Key-Locking Spy-Proof Dial Combination Lock with Spy-Proof Dial ESL5 ESL10						

- UL TL-15 burglary rated:** Resists professional break-in attempts under test conditions.
 - Thick composite door & body:** 6-inch-thick steel composite door and 3 1/2-inch-thick reinforced walls stop prying, drilling, and cutting attacks.
 - 2-hour fire rated:** Provides 120 minutes of fire protection at up to 1850°F, keeping interior contents safe from extreme heat.
 - Multi-bolt locking system:** Heavy-duty locking bolts secure the door on at least two sides (three-way boltwork optional) to thwart prying.
 - Drill-resistant lock protection:** Steel hardplates and internal relockers guard the lock; if attacked, they keep the safe locked.
- UL-listed combination lock:** Standard UL Group 2M mechanical dial lock (optional electronic upgrade) for high-security access.
 - Internal relocking devices:** Spring triggers that secure the bolts in a forced-entry attack, preventing door opening even if the main lock is defeated.
 - Flexible interior space:** Adjustable shelves or custom interior options let you organize cash, jewelry, or files efficiently.
 - Multiple sizes offered:** Available in various dimensions to suit different capacity needs and space constraints.
 - American-made security:** Proudly built in the USA for jewelers, pawn shops, and businesses seeking top-notch security at a step below TL-30 cost.

DXE Series






SECURITY RATING
TL-15 Burglary
Tool Resistant Safe



MADE IN USA



Textured
Charcoal Gray



Product Overview

AMSEC’s DXE Series Money Chests are UL TL-15 rated high-security safes that use a solid steel design (rather than composite materials) to achieve their burglary protection. Each DXE safe is built with a 1/2-inch-thick solid steel plate door and a 1/2-inch-thick steel body, with all external seams continuously welded, creating a formidable barrier against attacks. This robust steel construction meets UL’s TL-15 standard, meaning the safe can resist sophisticated burglary tool attacks. This level of security is often required in cash-intensive businesses and financial institutions.

DXE safes feature a precision-engineered locking mechanism: a handle-activated boltwork that throws between two and six massive 1-inch diameter chromed steel locking bolts (depending on the safe’s height) to secure the door. The boltwork and lock are protected by a large, proprietary drill-shattering hardplate, and a spring-loaded auxiliary relocking device will trigger if an attacker attempts to punch out the lock. The result is that even aggressive drilling or punching attacks are thwarted. Additionally, a solid steel full-length dead bar locks into the door frame on the hinge side, preventing the door from being removed if the hinges are cut during a forced entry. The DXE Series comes standard with a UL Listed Group 2M mechanical combination lock, offering 1 million possible combinations and the reliability needed for commercial use. With oil-impregnated bearing hinges for smooth door operation and optional interior configurations (like adjustable shelves or door-mounted coin racks), these safes can be tailored to your needs. Available in a broad range of sizes from compact chests under 2 cubic feet to large vaults over 30 cubic feet, the DXE Series provides flexible, top-tier security for businesses requiring UL-rated protection in an all-steel safe.

- **UL TL-15 rated steel safe:** Heavy all-steel safe, UL TL-15 tested against tool attacks.
 - **Solid plate steel build:** 1/2-inch-thick solid steel door and 1/2-inch-thick solid steel body deliver TL-15 strength without composite material.
 - **Continuously welded seams:** All exterior seams are beveled and fully welded for maximum rigidity and security.
 - **Massive locking bolts:** Depending on size, 2-6 large 1-inch diameter chromed steel bolts lock the door via a robust handle-driven mechanism.
 - **Hinge-side dead bar:** Full-length solid steel dead bar secures the door on the hinge side, preventing removal even if hinges are cut.
- **Hardplate armor protection:** Proprietary drill-resistant hardplate defends the lock and critical areas from drilling or tampering.
 - **Auxiliary relocker:** Spring-loaded relock device triggers if the lock is punched out, freezing the boltwork in the locked position.
 - **UL Group 2 combo lock:** Standard UL-listed key-changeable combination lock (1,000,000 combos) for high security.
 - **Wide range of sizes:** Available in heights from ~10-inch up to 88-inch, with ~2 to 30+ cubic ft capacity range.
 - **Built for cash security:** Ideal “money chest” safe for banks, retail, or any business seeking top-tier steel protection without composite materials.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight
DXE1414	15 ½" x 15 ½" x 16 ¼"	13 ½" x 13 ¼"	½"	1.46 cu. ft.	240 lbs.
DXE1818	19 ½" x 19 ½" x 16 ¼"	17 ½" x 16 ¾"	½"	2.37 cu. ft.	325 lbs.
DXE2020	21 ½" x 21 ½" x 24 ¼"	19 ½" x 18 ¾"	½"	4.86 cu. ft.	464 lbs.
DXE2420	25 ½" x 21 ½" x 24 ¼"	23 ½" x 18 ¾"	½"	5.81 cu. ft.	513 lbs.
DXE2424XD	25 ½" x 25 ½" x 28 ¼"	23 ½" x 18 ¾"	½"	8.33 cu. ft.	635 lbs.
DXE3018XD	31 ½" x 19 ½" x 24 ¼"	29 ½" x 16 ¾"	½"	6.53 cu. ft.	574 lbs.
DXE3024	31 ½" x 25 ½" x 24 ¼"	29 ½" x 16 ¾"	½"	8.65 cu. ft.	673 lbs.
DXE3030	31 ½" x 31 ½" x 24 ¼"	29 ½" x 28 ¾"	½"	10.76 cu. ft.	770 lbs.
DXE4024	41 ½" x 25 ½" x 24 ¼"	39 ½" x 22 ¾"	½"	11.48 cu. ft.	821 lbs.
DXE4524	46 ½" x 25 ½" x 24 ¼"	44 ½" x 22 ¾"	½"	12.90 cu. ft.	897 lbs.
DXE5030	51 ½" x 31 ½" x 24 ¼"	49 ½" x 28 ¾"	½"	17.82 cu. ft.	1,103 lbs.
DXE5224	53 ½" x 25 ½" x 24 ¼"	51 ½" x 22 ¾"	½"	14.88 cu. ft.	1,100 lbs.
DXE6030	61 ½" x 31 ½" x 24 ¼"	59 ½" x 28 ¾"	½"	21.35 cu. ft.	1,274 lbs.
DXE7234	73 ½" x 35 ½" x 30 ¼"	71 ½" x 32 ¾"	½"	37.63 cu. ft.	1,775 lbs.
Lock Type: Combination Lock with Key-Locking Spy-Proof Dial Combination Lock with Spy-Proof Dial ESL5 ESL10					

ACF Series



Shown with optional S&G lock kit

Product Overview

- AMSEC’s ACF Series safes are among the most secure and versatile safes available, offering UL TL-30 high-security protection with a fully customizable design. These safes are constructed with the same advanced materials found in AMSEC’s AMVAULT line, including thick composite steel barriers in the walls and door that can defeat concentrated attacks from powerful tools. Businesses can work with AMSEC to tailor dimensions, interior configurations (lockers, shelves, coin racks, etc.), and locking options to create a safe that precisely fits their operational needs.
- Despite the heavy-duty security, the ACF Series doesn’t compromise on functionality. For example, an ACF depository safe might feature a top-loading rotary hopper or a front deposit drawer so employees can drop cash into a secured inner vault, providing high-security overnight storage for deposits. Standard ACF safes come equipped with UL-rated high-security locks (with choices of combination dials or electronic locks with audit features), multiple large locking bolts on all sides of the door, relocking devices, and thick alloy hardplates to shield against drilling. Fire protection can be incorporated as well, often achieving a 2-hour fire rating like other composite safes. Because each ACF safe is essentially custom-made, clients receive detailed design consultations and drawings before fabrication to ensure the safe meets all requirements. If your security scenario demands the absolute best, be it a specialized cash vault, a unique size constraint, or integrated deposit capability, the ACF Series provides high-security peace of mind tailored to you.
- **UL TL-30 high-security safe:** Built to UL TL-30 specs, withstands intensive burglary tool attacks.
 - **Custom-built to order:** Fully customizable in size, interior configuration, and special features to meet your needs.
 - **Composite armor construction:** Thick multi-layer steel and concrete composite walls and door resist drilling, cutting, and prying attacks.
 - **Locking bolts:** Heavy-duty multi-bolt system locks the door, with spring-loaded relockers that engage if the safe is attacked.
 - **Standard fire protection:** built with fire-resistant materials to achieve up to a 2-hour fire rating.

- **Advanced locking choices:** Available with UL-listed combination locks or electronic locks (audit trail, time delay, etc.) for controlled access and accountability.
 - **Interior tailored to you:** Configure the inside with adjustable shelves, lockable compartments, cash till slots, or other features to suit your workflow.
 - **Built for overnight cash security:** Ideal for banks, armored transport, or large retailers needing overnight deposit security.
 - **Premium craftsmanship:** Handcrafted in the USA by AMSEC, delivering elite protection and customized solutions for the most demanding requirements.



Shown with optional auxiliary key lock



FIRE RATING
Rating of
120 Minutes at 1800°F



SECURITY RATING
TL-30 Burglary
Tool Resistant Safe



MADE IN USA



**Textured
Charcoal Gray**



Chrome

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight
ACF2020	26 3/4" x 26 1/2" x 29"	19" x 18 3/4"	3 1/4"	4.63 cu. ft.	1,069 lbs.
ACF2020XD	26 3/4" x 26 1/2" x 33"	19" x 18 3/4"	3 1/4"	5.55 cu. ft.	1,170 lbs.
ACF3020	36 3/4" x 26 1/2" x 29"	29" x 18 3/4"	3 1/4"	6.94 cu. ft.	1,369 lbs.
ACF3020XD	36 3/4" x 26 1/2" x 33"	29" x 18 3/4"	3 1/4"	8.33 cu. ft.	1,492 lbs.
ACF4024	46 3/4" x 30 1/2" x 29"	39" x 22 3/4"	3 1/4"	11.11 cu. ft.	1,849 lbs.
ACF4024XD	46 3/4" x 30 1/2" x 33"	39" x 22 3/4"	3 1/4"	13.33 cu. ft.	2,003 lbs.
ACF5024	56 3/4" x 30 1/2" x 29"	49" x 22 3/4"	3 1/4"	13.88 cu. ft.	2,176 lbs.
ACF5024XD	56 3/4" x 30 1/2" x 33"	49" x 22 3/4"	3 1/4"	16.66 cu. ft.	2,351 lbs.
ACF6030	66 3/4" x 36 1/2" x 29"	59" x 28 3/4"	3 1/4"	20.83 cu. ft.	2,847 lbs.
ACF6030XD	66 3/4" x 36 1/2" x 35"	59" x 28 3/4"	3 1/4"	27.08 cu. ft.	3,162 lbs.
ACF4824DS	47 3/4" x 24 1/2" x 26"	TOP: 25" x 16 3/4" BTM: 13" x 16 3/4"	3 1/4"	3.79 cu. ft. 2.48 cu. ft.	1,746 lbs.

Lock Type: Combination Lock with Front-Read Dial | Combination Lock with Key-Locking Front-Read Dial
Combination Lock with Key-Locking Spy-Proof Dial | Combination Lock with Spy-Proof Dial | ESL5 | ESL10
ACF4824DS: Group 2M Combination Lock Both Doors & AUX Key Lock Bottom Compartment

TB Series



Product Overview

AMSEC’s TB Series are compact under-counter drop boxes designed for point-of-sale cash security. These small safes (e.g. model TB0610) are constructed of solid steel and feature a full-width slot over the door for inserting cash, checks, or envelopes. An integrated saw-toothed “anti-fish” baffle guards the slot to prevent anyone from reaching in or using tools to pull out the contents. The door itself is secured by a heavy-duty piano hinge and opens with a key; the series offers several lock options, from standard cam locks to 7-pin tubular locks or high-security Medeco key locks, depending on your needs.

The TB Series boxes are designed to be versatile and tamper-resistant. Each unit has pre-drilled bolt holes on every side, allowing you to mount it securely beneath counters or to bolt multiple TB boxes together (side-by-side or back-to-back) for multiple registers. This flexibility ensures the drop box stays in place and cannot be easily removed or stolen. For added convenience, the doors are interchangeable, you can swap out the entire door and lock assembly if you need to upgrade or change the lock without replacing the box. Though compact (about 8 lbs in weight), TB Series drop safes offer an extra layer of protection for daily cash handling by getting bills out of the register and into a locked container quickly. They are an economical solution to reduce grab-and-go theft and increase accountability at the point of sale, making them ideal for retail stores, restaurants, and any business with cash tills.



Textured Black

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
TB0610-1	6" x 6" x 10"	5 7⁄8" x 5"	16 GA	0.16 cu. ft.	8 lbs.	Single-Key Camlock
TB0610-1T	6" x 6" x 10"	5 7⁄8" x 5"	16 GA	0.16 cu. ft.	8 lbs.	Chicago 7-Pin Radial Key Camlock
TB0610-2	6" x 6" x 10"	5 7⁄8" x 5"	16 GA	0.16 cu. ft.	8 lbs.	Medeco Single-Key Camlock

- **Compact deposit box:** Small under-counter safe to secure daily cash drops at registers.
 - **Solid steel construction:** Sturdy, all-steel build with welded seams provides reliable protection in a compact form.
 - **Anti-fish baffle:** Saw-tooth baffle in the slot prevents thieves from “fishing” out the contents once deposited.
 - **Heavy-duty door hinge:** Continuous piano hinge supports the door and thwarts prying attempts on the hinge side.
 - **Interchangeable door/lock:** Door and lock assembly can be swapped out, allowing easy lock upgrades or changes (excludes K1 model).
- **Multiple lock options:** Offered with cam, tubular, or high-security key locks to fit your needs.
 - **Wide deposit slot:** Full-width slot above the door easily accepts cash, checks, and envelopes for quick deposits.
 - **Bolt-together design:** Bolt holes on all sides enable secure mounting under counters or linking multiple units together.
 - **Versatile mounting:** Can be anchored to countertops, walls, or floors so it stays fixed in place and cannot be removed.
 - **Quick cash security:** Immediately secures excess cash from registers, discouraging grab-and-run theft and improving cashier accountability.

AMSEC Electronic Locks



	ESL5	ESL5LP	Backlit ESL10	Backlit ESL20	ESIAudit II	SafeWizard II®
Keypad Housing	Round Backlit	Backlit	Round Backlit	Round Backlit	Vertical Rectangle	Horizontal Rectangle
UL Listed	UL Type 1	UL Type 1	UL Type 1	UL Type 1	UL Type 1	–
Number of Users	1	1	1	1 Master, 8 Users, 1 Armored Car	40 Multiple User Options	500 Multiple User Options
Time Delay Override	no	No	No	Yes	Yes	Yes
Safe Doors	1	1	1	1	4	12
Power Source	(1) 9V	(1) 9V	(2) 9V	(2) 9V	(2) 9V A/C Opt.	AC w/Battery Back-up
Combination (# of Digits)	6	6	6	6	Key + 6 Digits, 8 if keypad only	Key + 6 Digits, 8 if keypad only
Wrong Try Lock Out (time)	Yes (15 min.)	Yes (15 min.)	Yes (15 min.)	Yes (15 min.)	Yes - 4 attempts (15 min.)	User Settable
Dual Mode	–	–	–	Yes	Yes	Yes
Time Delay	–	–	–	1-99 min.	1-99 min.	1-99 min.
Time Delay Open Input Window (time by user)	–	–	–	1-9 min.	1-99 min.	1-99 min.
Time Lock (Periods) *(Variable)	–	–	–	–	(4)(*) Software Set	(6)(*)
Duress	–	–	–	–	Optional	Standard
Audit Trail (# of events)	–	–	–	–	5000 Time & Date Software Viewed	120,2000 w/ 500 Back-up Time & Date
PC Software Audit Trails	–	–	–	–	Optional	Cloud (Optional)
Alarm Interface	–	–	–	–	Optional	Yes
Auto Lock	Yes	Yes	Yes	Yes	Yes	Yes
Bolt Options	Swing	Swing	Standard/Slam	Standard/Slam	Swing/Toggle	Swing/Toggle
Color Options	Chrome	Matte Black	Chrome, Brass, Black Nickel, Matte Black	Matte Black	Brushed Satin Chrome	Silver/Blue

Partner Electronic Locks

	SARGENT & GREENLEAF		KABA		
	6123	6126	AuditCon 52	AuditCon 252	AuditCon 552
Keypad Housing	Round	Round	Round, Vertical	Round, Vertical	Round, Vertical
UL Listed	UL Type 1	UL Type 1	UL Type 1	UL Type 1	UL Type 1
Number of Users	5	1 Programmer, 3 Manager, 6 Super Users, 20 Users	2	20	99
Time Delay Override	Yes	Yes	–	Yes	Yes
Safe Doors	1	1	1	1	1
Power Source	(2) 9V	(2) 9V	Self-Generating / Battery	Self Generating	Self Generating
Combination (# of Digits)	6	6	6	8	8
Wrong Try Lock Out (time)	4 (15 min.)	5 (15 min.)	Yes (3 min.)	Yes (3 min.)	Yes (3 min.)
Dual Mode	Yes	Yes	Yes	Yes	Yes
Time Delay	1-99 min.	1-99 min.	Yes {Order Model T-52}	Yes	Yes
Time Delay Open Input Window (time by user)	2-9 min.	1-10 min.	–	–	–
Time Lock (periods) *(variable)	–	–	–	–	–
Duress	Optional	Optional	Optional	Optional	Optional
Audit Trail (# of events)	–	400 Time & Date	–	–	400 Time & Date
PC Software Audit Trails	–	Optional Audit Only	–	(Optional) 100	(Optional) 400
Alarm Interface	–	Yes	–	Yes (optional)	Yes (Optional)
Auto Lock	Yes	Yes	Yes	Yes	Yes
Bolt Options	Standard Motor	Standard Motor	Slide/Standard	Slide/Standard	Slide/Standard

Partner Mechanical Locks

UL LISTED GROUP 2 MECHANICAL COMBINATION SAFE LOCK KIT

Mechanical combination safe locks have been around for over 100 years and are very secure and reliable. With the proper care and service, the mechanical combination safe lock will last a long time.

- Three bass and aluminum combination wheels provide 1,000,000 theoretical combinations
- Dual brass locking cams prevent wheel slippage
- Solid brass locking bolt and zinc drop lever
- Four-way brass drive cam allows mounting RH, LH, VU or VD
- Internal spring -loaded brass relock-trigger guards against punch attacks
- Standard mounting footprint matches most mechanical and electronic safe locks
- Both dial and ring are die cast with black finish and white letters
- A solid, machined brass spindle - 5 1/2"
- Comes standard with an attractive self-stick solid dial insert or a key-locking dial insert

SAFE LOCK KIT INCLUDES

- Mechanical safe lock
- Large dial & ring
- Combination change key
- Mounting hardware



SPY PROOF KEY LOCKING DIAL

Restricts unauthorized viewing while dialing the combination, as well as providing dual custody control.



SPY PROOF DIAL

Restricts unauthorized viewing while dialing the combination.




KEY LOCKING FRONT READ DIAL

Key is used to lock dial in a fixed position and affords dual custody control. Manager has the combination, collector has the key. Both must be present to unlock the safe.



FRONT READ DIAL

Safe is equipped with Time Locks offer the capability of locking the safe for a pre-selected period of time. Time periods range from 1 hour to 144 hours.



UL LISTED HIGH SECURITY KEY LOCK

European style 9-lever changeable key lock offers exceptional security features for use on inner locker or outer safe doors.

