

AMSEC

RESIDENTIAL SAFES



Table of Contents

CEV Series 4

MAX Safe 5

CSC Series 6

AM Series7

BF Series 8

BFS Series 10

JS Series11

FS Series12

EST Series 13

IRC Safe 14

MS Safe15

WS Series16

AMSEC Electronic Locks17

Partner Electronic Locks18

Partner Mechanical Locks19

About Us

At AMSEC, we have been dedicated to providing quality security solutions to our customers since our establishment in 1946.

Additionally, AMSEC entered the Smart Safe market 10 years ago with CashWizard, securing two more patents for our Smart Safe technology. The CashWizard Smart Safe is the highest security depository safe of its kind on the market today and provides ultimate visibility into daily cash transactions via integrated cloud-based software that gives treasury and other management suites the ability to remotely manage money from anywhere in the world, 24 hours a day, 7 days a week.

At AMSEC, we believe that innovation is not just about creating new products but also improving existing ones. We continuously update our products to keep up with the latest technology and security standards, ensuring that our customers have the best possible experience with our products.

Our humble beginnings started with little more than a welder, lathe, and a desire to build strong safes. As we've grown, we've expanded our offerings to meet the changing needs of our customers. Through dedication and hard work, we have become a leading name in the security industry, providing a wide range of products and services, including our CashWizard Smart Safes.

Over the years, we've had the privilege to work with a diverse range of clients across various industries and have been recognized for our commitment to quality and excellence. At AMSEC, our core values guide us in everything we do. We are committed to providing the highest level of security solutions to our customers and continuously strive to innovate and improve our offerings.

Product Information Disclaimer
The information and specifications provided in this catalog are believed to be accurate at the time of printing. AMSEC reserves the right to modify product designs, specifications, and materials without notice.

CEV Series



CEV3524

Product Overview

The AMSEC CEV Series brings true commercial-grade safe technology into your home or small business. This series is UL TL-15 rated to withstand professional burglary attacks and offers 2-hour fire protection at 1850°F, all at a price that puts high-end security within reach. Each CEV safe is built like a vault: a 6-inch-thick composite door and 3 1/2-inch-thick steel body packed with proprietary concrete and hardened alloy fillers can withstand concentrated assaults from power tools like grinders, saws, and carbide drills. During a fire, the Palusol door seal expands up to 6-7x its size to lock out smoke and blistering heat, keeping the interior below critical temperature for a full two hours.

With five models ranging from 1.8 to 21.1 cubic feet (and roughly 854 to 3,153 lbs), there's a CEV safe for every need, each robust enough to qualify for insurance coverage of \$100,000 to \$150,000 on stored valuables. Features like dual glass relockers that deadlock the mechanism if attacked, a UL Type 1 high-security electronic lock, and 1.5-inch diameter chrome-plated locking bolts (6 to 10 per safe) come standard on every model. Based on AMSEC's renowned AMVAULT high-security line, the CEV Series delivers genuine bank-vault protection for your most valuable assets.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
CEV1814	25" x 21" x 21 1/2"	18" x 14"	3 1/2"	1.8 cu. ft.	854 lbs.	ESL10
CEV2518	32" x 25" x 25 1/2"	25" x 18"	3 1/2"	4.2 cu. ft.	1,292 lbs.	ESL10
CEV3524	42" x 31" x 29 1/2"	35" x 24"	3 1/2"	9.7 cu. ft.	2,085 lbs.	ESL10
CEV5524	62" x 31" x 29 1/2"	55" x 24"	3 1/2"	15.3 cu. ft.	2,768 lbs.	ESL10
CEV6528	72" x 35" x 29 1/2"	65" x 28"	3 1/2"	21.1 cu. ft.	3,153 lbs.	ESL10

- UL TL-15 certified safe resists professional tool attacks with ease.
 - 2-hour fire protection at 1850°F, keeping interior safe.
 - Insurance-grade build qualifies for \$100K–\$150K content coverage.
 - 6-inch thick composite door stops drills, grinders, and saws.
 - UL Type 1 electronic lock.
- Massive 1 1/2-inch diameter chrome steel locking bolts (6–10 per safe) secure the door.
 - Five sizes (1.8 to 21 cu ft; 854–3,153 lbs) to fit any need or space.
 - Built on AMSEC's proven AMVAULT high-security design.



FIRE RATING
ETL Rating of
120 Minutes at 1850°F



SECURITY RATING
TL-15 Burglary
Tool Resistant Safe



Textured
Black



Chrome

MAX Safe



Product Overview

For over 75 years, AMSEC has built safes that outlast and outperform, and the MAX1014 Safe continues that legacy. This compact powerhouse brings true commercial-grade security into the home, delivering UL TL-15 rated burglary protection at a price you'd normally pay for a basic residential safe. When safeguarding high-value jewelry, watches, documents, or cash, you deserve more than a simple metal box. The MAX1014's 4 3/4-inch-thick composite door and 90-minute ETL-verified fire rating (at 1200°F) provide vault-level peace of mind, using the same advanced materials and designs trusted in bank vaults and jewelry store safes.

What sets the MAX1014 apart is its uncompromising defense against real-world attacks. While typical home safes can be pried or cut open in minutes, the MAX1014 is tested to withstand sustained onslaughts from sledgehammers, carbide cutters, and power drills, the very tools professional burglars use. Its internal glass relocker will trigger a secondary lockdown if the safe is tampered with, and a hardened steel hardplate shatters drill bits to protect the lock. Six massive stainless-steel locking bolts secure the door into a reinforced frame, all controlled by a quick-access UL Type 1 electronic lock that includes a penalty lockout after too many wrong code attempts. At just under 500 lbs and compact enough to slide into a closet, the MAX1014 offers genuine vault-level security in a home-friendly size. Its TL-15 certification even qualifies many owners for up to \$150,000 in insurance coverage on valuables. This safe truly bridges the gap between what homeowners typically buy and the protection their most precious possessions really need.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
MAX1014	15 7/8" x 19 3/4" x 19 3/8"	10 1/8" x 14 1/8"	2 3/4"	0.95 cu. ft.	492 lbs.	ESL10

- UL TL-15 certified for commercial-grade burglary protection.
 - 90-minute fire rating at 1200°F (ETL verified) for peace of mind.
 - 4.75-inch-thick composite door defeats drills, saws, and pry tools.
 - Glass relocker triggers backup locks if tampering is detected.
 - Six massive stainless-steel bolts secure door in reinforced frame.
- UL Type 1 electronic lock with penalty lockout after 4 attempts.
 - Eligible for insurance coverage up to \$150K in value.
 - Vault-solid 492 lb build easily fits in closets or home offices.
 - Ceramic-steel composite walls halt cutting tools on contact.
 - Backed by 75+ years of AMSEC engineering excellence.



FIRE RATING
ETL Rating of
90 Minutes at 1200°F



SECURITY RATING
TL-15 Burglary
Tool Resistant Safe



Textured
Charcoal Gray



Chrome

CSC Series



CSC1913E1

Product Overview

The CSC Series packs commercial-grade security into a compact safe designed to fit in closets, bedrooms, or home offices. Despite its space-saving size, each CSC safe provides serious protection: a true 2-hour fire rating (far outlasting typical home safes) shields your jewelry, documents, cash, and other valuables even through extreme house fires. The safe's dense concrete-filled steel walls and 4 5/8-inch-thick composite door have earned a UL RSC Level 1 burglary certification, defending against pry bars, drills, and other forced-entry attempts.

Available in two sizes, the CSC1413 for essential storage and the larger CSC1913 with 35% more capacity, this series lets you choose the right fit without compromising on security. Every CSC safe features four solid steel locking bolts backed by a glass relocker, plus a tungsten-carbide hardplate to stop drill bits cold. The CSC Series delivers heavy-duty protection at a sensible price point for homeowners.



FIRE RATING
ETL Rating of
120 Minutes at 1200°F



SECURITY RATING
UL Listed
RSC Level I



**Textured
Charcoal Gray**



**Brushed
Aluminum**

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
CSC1413E1	19 1/2" x 18" x 19 7/8"	14" x 12 1/2"	2 3/4"	1.24 cu. ft.	256 lbs.	ESL10
CSC1913E1	24 1/2" x 18" x 19 7/8"	19" x 12 3/8"	2 3/4"	1.68 cu. ft.	318 lbs.	ESL10

Note: Add 2" to outside depth for handle, dial and hinge projection. Add 1" rubber feet) to outside height.

- 2-hour fire protection up to 1700°F ensures contents survive.
 - UL RSC Level 1 burglary certification proven against real break-in attacks.
 - 4 5/8-inch-thick solid steel plate door with a concrete composite core for maximum strength.
 - Double-wall steel body with high-strength poured concrete fill.
 - Ideal for tight spaces like closets or apartments, no massive footprint required.
- Four solid steel locking bolts backed by a glass relocker for extra security.
 - Lifetime fire replacement warranty protects your investment for life.
 - Two sizes for your growing collection of valuables.
 - Secures jewelry, documents, cash, and other valuables with ease.

AM Series



AM3020E5



AM3020 Plus


Product Overview

The AM Series offers professional-grade protection at an affordable price, giving you features usually found in safes costing much more. Each AM safe is ETL-certified for 45 minutes of fire resistance at 1200°F and built with a heavy 12-gauge steel body, about twice the thickness of standard budget safes. Instead of thin metal and unverified fire ratings, the AM Series uses a solid 1/4-inch-thick solid steel plate door, multiple layers of fire insulation, and a UL-listed electronic lock (the same high-security locking technology trusted by banks). Available in three sizes (from the 2.21 cu ft AM2020 up to the 4.88 cu ft AM4020), these safes are designed to shield your documents, jewelry, cash, and family heirlooms from both fire and theft.


Striking the perfect middle ground between entry-level and high-end, the AM Series delivers real security without needless complexity. An intumescent door seal swells up to 6-7x its size in a fire to block smoke and heat, keeping the interior below 350°F so paper documents and photos remain unharmed (paper chars around 450°F). Three-way locking bolts (1 1/4-inch diameter) secure the door on multiple sides, and a drill-resistant hardplate protects the lock against tampering. Each safe comes with an illuminated electronic keypad (with optional stealth mode for silent entry) and pre-drilled anchor holes plus mounting hardware for easy installation. When you want independently tested protection instead of marketing promises, the AM Series is the smart choice.



FIRE RATING
ETL Rating of
45 Minutes at 1200°F



Deep Blue
(AM2020E5)



**Semi-gloss
White**
(AM3020 Plus)



Black Nickel

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
AM2020E5	20" x 20" x 20"	14 1/2" x 14 1/2"	12 GA	2.21 cu. ft.	170 lbs.	ESL5
AM3020E5	30" x 20" x 20"	24 1/2" x 14 1/2"	12 GA	3.54 cu. ft.	230 lbs.	ESL5
AM4020E5	40" x 20" x 20"	34 1/2" x 14 1/2"	12 GA	4.88 cu. ft.	316 lbs.	ESL5
AM3020 Plus	30" x 20" x 20"	24 1/2" x 14 1/2"	12 GA	3.54 cu. ft.	230 lbs.	ESL10

- ETL-certified 45-minute fire protection (tested at 1200°F) ensures reliable protection.
 - 1/4-inch-thick solid steel plate door stops prying and forced entry attempts.
 - UL-listed electronic lock with illuminated keypad.
 - Door seal expands 6-7x to block smoke and heat out.
- Interior stays below 350°F so documents and photos remain safe.
 - Pre-drilled anchor holes and hardware for easy bolt-down.
 - Three sizes (2.21 to 4.88 cu ft) to fit your space and storage needs.
 - Drill-resistant hardplate shields the lock from tampering.
 - Multi-layer drywall insulation in walls for added heat resistance.
 - 12-gauge steel body (twice as thick as typical budget safe bodies).

BF Series



Product Overview

The BF Home Safe Series delivers what no other residential safe can: genuine UL-rated protection against both fire and burglary in one American-made safe. Each BF safe features a massive 1/2-inch-thick solid steel plate door and poured fire-resistant composite construction, just like a bank vault. This robust build earns UL’s RSC Level 1 burglary rating and a 1-hour fire certification, keeping interior temperatures below 350°F to safeguard your documents. Three 1-inch diameter chrome locking bolts and a full-length dead bar make prying attempts futile, and a heat-activated door seal that swells 6-7x under high temperatures blocks smoke and flames. Weighing 288 to 690 pounds (depending on model), a BF safe stays firmly in place, far too heavy for a thief to carry off.

Built in California and backed by over 75 years of AMSEC craftsmanship, the BF Series comes with an industry-leading Lifetime Fire Replacement Warranty for peace of mind. Four models (from 1.35 to 5.19 cubic feet of interior space) offer your choice of electronic or mechanical locks and an array of premium finishes. The BF Home Safe Series blends professional-grade security with home-friendly convenience. For homeowners who refuse to compromise on protecting what matters most, BF is the gold standard of home safes.

- The only UL-rated high-security home safe on the market today.
 - UL 1-hour fire rating (1700°F) keeps interior below 350°F to protect contents.
 - Proprietary fire clay fill between steel walls for max fire protection.
 - 1/2-inch-thick solid steel plate door (bank-vault thickness) defeats pry bars and sledgehammers.
 - U.S. made with 75+ years of trusted American craftsmanship.
- A hefty 288–690 lb build that’s too heavy for thieves to carry off.
 - Backed by a lifetime fire replacement warranty.
 - Commercial bank-vault construction brings maximum security to your home.
 - Heat-activated door seal expands 6-7x to block smoke and flames.
 - Three 1-inch diameter steel locking bolts and a full-length dead bar keep intruders out.





FIRE RATING
ETL Rating of
60 Minutes at 1200°F
(BF3416)



FIRE RATING
UL Rating of
60 Minutes at 1700°F
(All Other BF Models)



SECURITY RATING
UL Listed
RSC Level I



MADE IN USA

HIGH GLOSS



Charcoal
Metallic
Gloss



Ironside
Green
Gloss



Pearl
Essence
Gloss



Onyx
Gloss



Sapphire
Blue
Gloss



Thermal
Blue
Gloss



Reign
Purple
Gloss



Platinum
Metallic
Gloss

TEXTURED



Textured
Granite



Textured
Black



Textured
White



Textured
Spa Blue



Textured
Charcoal Gray

HARDWARE



Chrome



Brass



Black Nickel

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight
BF1512	20 1/4" x 17 1/4" x 18 3/4"	15" x 12"	2 5/8"	1.35 cu. ft.	288 lbs.
BF1716	22 1/4" x 21 3/4" x 21 3/4"	17" x 16 1/2"	2 5/8"	2.60 cu. ft.	412 lbs.
BF2116	26 1/4" x 21 3/4" x 20 1/4"	21" x 16 1/2"	2 5/8"	2.91 cu. ft.	476 lbs.
BF3416	39 1/4" x 21 3/4" x 21 3/4"	34" x 16 1/2"	2 5/8"	5.19 cu. ft.	690 lbs.

Lock Type: Combination Lock with Key-Locking Spy-Proof Dial | Combination Lock with Spy-Proof Dial | ESL5 | ESL10
| Combination Lock with Front-read Dial

BFS Series



Product Overview

The BFS Series brings professional-grade fire and burglary protection to homeowners who refuse to compromise on security. Each safe is built with a 1/2-inch-thick solid steel plate door (the same thickness used in many bank vaults) and a 2.3125-inch double-wall steel body filled with proprietary fire-resistant composite. This heavy-duty design achieves an industry-leading UL RSC Level 1 burglary rating and provides 60–80 minutes of ETL-verified fire protection, tested at temperatures as high as 1775°F. Unlike competitors who self-certify their safes, BFS safes are independently lab-tested to keep interior temperatures below 350°F, ensuring your firearms, documents, and irreplaceable valuables stay safe when it matters most.

Whether you choose the compact BFS912 for handguns and passports or the spacious BFS4520 with nearly 10 cubic feet of storage, every model comes equipped with premium security features. A UL Type 1 electronic lock offers the highest level of security for quick, reliable access, while up to 14 solid steel locking bolts secure all four sides of the door. AMSEC’s signature spring-loaded relocker activates during an attack attempt to foil drilling or punching of the lock. Backed by over 75 years of American safe-making expertise and a Lifetime Fire Replacement Warranty, the BFS Series delivers true commercial-quality protection at a price that makes top-tier security accessible.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
BFS1512E1	20 1⁄8" x 17 1⁄8" x 19 1⁄2"	15" x 12 1⁄4"	2 5⁄16"	1.4 cu. ft.	316 lbs.	ESL10
BFS2214E1	27 1⁄8" x 19 1⁄8" x 21 7⁄8"	22 1⁄4" x 14"	2 5⁄16"	2.8 cu. ft.	432 lbs.	ESL10
BFS2815E1	33" x 20" x 22 3⁄4"	27 7⁄8" x 14 7⁄8"	2 5⁄16"	3.8 cu. ft.	514 lbs.	ESL10
BFS3416E1	39 1⁄8" x 21" x 23 3⁄4"	33 7⁄8" x 15 5⁄8"	2 5⁄16"	5.48 cu. ft.	634 lbs.	ESL10
BFS4520E1	49 7⁄8" x 25 1⁄8" x 25 3⁄4"	44 9⁄16" x 19 3⁄4"	2 5⁄16"	9.67 cu. ft.	900 lbs.	ESL10
BFS912E5LP	12 1⁄2" x 16" x 16 3⁄16"	8 7⁄8" x 12 1⁄2"	1 3⁄4"	0.72 cu. ft.	145 lbs.	ESL5LP

- ETL-verified 60–80-minute fire rating for proven protection.
- 1/2-inch-thick solid steel plate door for maximum protection.
- UL RSC Level 1 burglary rating (industry-leading for home safes).
- Double-wall steel body filled with proprietary fire clay insulation.
- UL Type 1 high-security electronic lock (highest rating available).

- Up to 14 steel locking bolts securing all 4 sides of the door.
- Spring-loaded relocker thwarts drill and punch attack attempts.
- Door seal blocks smoke, fire, and water damage.
- Lifetime fire replacement warranty for ultimate peace of mind.
- Backed by 75+ years of AMSEC safe expertise.

JS Series



Product Overview

The JS Series delivers AMSEC’s trusted protection in an everyday home safe that won’t break your budget. Available in two versatile sizes, a compact JS2020 for jewelry, documents and small valuables, and a taller JS5517 for larger items, each JS safe provides reliable fire resistance and solid steel security for your home. These safes blend into any room with a clean, modern design, all while safeguarding what matters most from fire and theft.

Despite its affordable price, the JS Series doesn’t cut corners on essential security. It features a pry-resistant steel door, live-locking bolts, and pre-drilled anchor holes for secure bolt-down installation. You get no-nonsense protection without frills, backed by AMSEC’s 75+ years of expertise. It’s genuine peace of mind from a trusted industry leader, proof that you don’t have to compromise on security even when you’re on a budget.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
JS2020E5	20" x 20" x 20"	14 1⁄2" x 14 1⁄2"	12 GA	2.30 cu. ft.	180 lbs.	ESL5
JS4020E5	40" x 20" x 20"	34 1⁄2" x 14 1⁄2"	12 GA	4.87 cu. ft.	316 lbs.	ESL5
JS5517E5	55" x 17 3⁄4" x 16"	49 1⁄2" x 12"	14 GA	5.62 cu. ft.	286 lbs.	ESL5
JS5930E5	59" x 30" x 21"	52" x 22 3⁄4"	12 GA	12.77 cu. ft.	750 lbs.	ESL5
JS2020 Pedestal	24" X 20" x 20"	N/A	N/A	N/A	70 lbs.	N/A

- Verified fire protection shields valuables from flames and heat.
- Heavy solid-steel construction deters burglary attempts.
- Compact footprint fits in closets, bedrooms, or home offices.
- Affordable peace of mind from a trusted American safe manufacturer.
- Five sizes available to suit different storage needs.

- Professional bolt-down capability for permanent installation.
- Pry-resistant door design adds critical security layer.
- Clean, modern styling complements any home décor.
- Factory-backed quality from 75+ year industry leader.
- Complete fire and theft protection in smart investment.

FS Series



Product Overview

Protect what matters most with the AMSEC FS Series, the only economy-class fire safe featuring a UL-certified Type 1 high-security electronic lock. Despite its affordable price, the FS Series is rigorously tested by UL to ensure it performs when it counts. Each safe withstands extreme 1700°F temperatures for a full hour while keeping the interior below 350°F, so your vital documents, jewelry, and keepsakes remain unharmed when disaster strikes. The easy-to-use ESL5 electronic keypad lights up for quick access and offers a stealth mode for silent entry. It also includes an external battery compartment, so you're never locked out due to a dead battery.

Built with a fire-resistant composite body, chrome-plated steel deadbolts, and smooth ball-bearing door hinges, the FS Series delivers AMSEC's trusted quality at a budget-friendly price. Three sizes are available, from the compact 96-lb FS914 to the roomy 164-lb FS1814 that even includes a built-in key-lock drawer for extra secure storage. Each safe comes with an anchor kit for bolting to the floor. Don't trust your birth certificates, property deeds, and irreplaceable memories to a flimsy big-box store safe, choose the FS Series and get real UL-certified protection without breaking the bank.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
FS914E5LP	14 1⁄8" x 19 1⁄2" x 15 1⁄4"	9 3⁄4" x 15 3⁄8"	2 1⁄8"	0.86 cu. ft.	96 lbs.	ESL5LP
FS149E5LP	19 1⁄2" x 14 1⁄8" x 15 1⁄4"	15 3⁄8" x 9 3⁄4"	2 1⁄8"	0.86 cu. ft.	96 lbs.	ESL5LP
FS1814E5	23 5⁄8" x 18 7⁄8" x 18 1⁄2"	18" x 13 1⁄4"	2 3⁄4"	1.72 cu. ft.	164 lbs.	ESL5

Note: Add 2" to outside depth for handle, dial and hinge projection. Model FS1814E5 has 1 key-lock drawer and 1 adjustable shelf. Dimensions have been converted from metric measurements. Please allow +1⁄4" to -1⁄4" variation for both outer and inner dimensions listed.

- UL-certified 1-hour fire protection (tested at 1700°F).
- UL Type 1 electronic lock blocks "bounce" and magnet attacks.
- External battery compartment lets you change batteries without unlocking.
- Fire clay composite body (up to 2.75" thick) stops heat transfer.
- Chrome-plated steel deadbolts prevent door removal if hinges are cut.

- Backlit keypad with stealth mode for low-light, silent access.
- Automatic 15-minute lockout blocks code-guessing attempts.
- Interior remains under 350°F (paper chars around 450°F), ensuring documents don't char.
- Anchor kit included for secure floor mounting against theft.
- Backed by 75+ years of AMSEC safe-making expertise.



Textured Black Granite



Chrome

EST Series



Product Overview

The AMSEC EST Series gives you big-safe confidence in a small, easy-to-hide package. Designed for homes, offices, dorms, and even RVs, these compact safes provide reliable theft protection without taking up much space. Each EST safe is built with a sturdy 14-gauge steel body and a pry-resistant recessed door with internal hinges, features that help keep thieves out and your valuables in. Two solid steel live-locking bolts secure the door, keeping your cash, passports, jewelry, and small electronics safely locked away.

Even with its budget-friendly size, the EST Series doesn't skimp on convenient features. Every model comes with AMSEC's DL6000 electronic lock with an LCD display for fast, easy access, plus a built-in motion sensor alarm and a stealth mode to prevent unauthorized tampering. The interior is carpeted floor to protect your items from scratches, and a removable shelf (in larger models) helps organize your belongings. You can bolt the safe down using the included anchor hardware so no one can walk off with it, and an emergency override key ensures you're never locked out of your safe. Available in four sizes (EST813, EST916, EST1014, and EST2014) and backed by a one-year factory warranty, the EST Series offers an affordable way to add real security to any space.



Textured Cream

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
EST813	7 7⁄8" x 12 1⁄4" x 8"	5 3⁄4" x 8 1⁄4"	14 GA	0.29 cu. ft.	16 lbs.	DL6000
EST916	9" x 16" x 13 1⁄4"	6 3⁄4" x 12 1⁄8"	14 GA	0.90 cu. ft.	27 lbs.	DL6000
EST1014	9 7⁄8" x 13 3⁄4" x 9 7⁄8"	7 5⁄16" x 9 3⁄8"	14 GA	0.54 cu. ft.	22 lbs.	DL6000
EST2014	19 3⁄4" x 13 3⁄4" x 12 1⁄4"	17 1⁄8" x 9 1⁄4"	14 GA	1.53 cu. ft.	40 lbs.	DL6000

- Four compact sizes protect cash, jewelry, passports, and other key documents.
- 14-gauge steel body and dual live bolts resist prying and forced entry.
- DL6000 electronic lock with LCD makes access fast, simple, and intuitive.
- Built-in motion alarm and spy-proof lock help deter tampering and snooping.
- Recessed, pry-resistant door and internal hinges add another layer of security.

- Bolt-down design with included anchor hardware keeps thieves from walking off.
- Carpeted floor and removable shelf options protect finishes and organize.
- Clean cream finish blends into home, office, dorm, RV, or rental décor.
- Backed by AMSEC's one-year warranty and 75+ years of expertise.

IRC Safe



Product Overview

The IRC916 is a compact electronic safe designed to provide serious protection without taking up serious space. Built with heavy-duty steel construction and an advanced motorized locking mechanism, this safe secures your jewelry, documents, laptop, and other valuables whether you're at home, in the office, or on the road. With its textured black finish and a space-saving design, the IRC916 tucks discreetly into closets, under desks, or inside cabinets, giving you convenient access to important items without drawing attention.

Despite its small size, the IRC916 is big on user-friendly security features. The ADA-compliant keypad has a large LED display and accepts a 4- to 6-digit PIN code or even a swipe of your credit card for entry. After multiple incorrect code attempts, the safe activates a 15-minute lockout to frustrate would-be thieves. You'll never be locked out yourself, though, an emergency override key and external battery backup ensure you can always open the safe when needed. With quick-mounting hardware included and a soft carpeted floor to prevent scratches, the IRC916 combines robust construction with modern convenience for peace of mind in any setting.



Textured Black

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
IRC916	9" x 16" x 14"	6 7/16" x 13"	14 GA	0.97 cu. ft.	29 lbs.	4 to 6 Digit Combination or Electric Credit Card Reader

- Heavy-duty steel construction stops forced entry attempts cold.
 - Spacious 0.97 cu ft interior fits most laptops and other valuables.
 - ADA-compliant keypad with large LED display for easy operation.
 - Accepts a 4–6 digit PIN or a swipe of your credit card to unlock.
 - 15-minute lockout penalty frustrates attempted codebreakers.
- Emergency override key and battery backup ensure you're never locked out.
 - Compact design hides discreetly in closets, drawers, or cabinets.
 - Soft carpeted interior protects items from scratches and damage.
 - Quick installation with mounting hardware makes setup easy.
 - Instant PIN code reset makes it ideal for hotels or shared use.

MS Safe



Product Overview

The MS1414 Safe packs serious burglary protection into a compact 14-inch cube that you can hide almost anywhere, inside a closet, under a desk, or beside a nightstand. Don't be fooled by its small size: this safe is built like a mini vault. It boasts a B-rated all-steel construction, including a 1/2-inch-thick solid steel plate door and an 11-gauge steel body made from the same A36 alloy steel used in bank vaults. Three large 1-inch diameter chrome-plated locking bolts secure the door while a spring-loaded relocker and a carburized hardplate guard the lock mechanism. Together, these features thwart prying, drilling, and other forced-entry attacks.

Backed by AMSEC's 75+ years of engineering expertise, the MS1414 gives security-conscious homeowners and small business owners alike genuine peace of mind for their cash, jewelry, important documents, and other valuables. You can choose between a UL-listed electronic keypad lock or a classic mechanical dial, whichever you prefer. Four pre-drilled holes in the base allow for easy bolt-down to a floor or shelf, adding even more protection against theft. With a pedigree trusted by banks, government agencies, and security professionals worldwide, the MS1414 brings true commercial-grade security right into your home or office.



Textured Charcoal Gray

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
MS1414E1	14" x 14" x 14"	9 3/4" x 9 3/4"	11 GA	1.20 cu. ft.	67 lbs.	ESL10

- 1/2-inch thick solid steel plate door stops pry attacks cold.
 - B-rated construction meets insurance security requirements.
 - Built with the same A36 industrial-grade steel used in bank vaults.
 - Three 1-inch diameter locking bolts secure the door.
 - Spring-loaded relocker automatically defeats tampering attempts.
- Compact 14-inch cube easily fits in closets, offices, and other tight spaces.
 - Solid 67-lb steel body with anchor holes for bolt-down security.
 - Choice of electronic lock or traditional mechanical dial.
 - Carburized hardplate shields the lock from drilling attempts.
 - Backed by 75+ years of AMSEC engineering expertise.

WS Series



Product Overview

AMSEC’s WS Series in-wall safes provide serious protection while disappearing into your home’s decor. Designed to install between standard 16-inch wall studs, models like the WS1214, WFS149, and WEST2114 let you keep jewelry, cash, documents, and other valuables hidden behind a picture or inside a closet wall. Each WS safe is built from heavy-gauge steel with a pry-resistant door and live locking bolts, so even though it’s concealed, it still puts up a strong fight against intruders. There’s a model for every need: the WS1214 offers an extra-deep interior for bulkier valuables, the WFS149 adds UL-certified 1-hour fire protection for important papers and cash, and the WEST2114 features a modern DL6000 touchscreen LCD lock with a time display and adjustable shelves.

Whether installed in a closet, behind artwork, or in a home office, these flush-mount wall safes are engineered for both real-world security and everyday convenience. Thick steel doors with recessed hinges and relocker devices resist prying or punch attacks, keeping your hidden safe just as secure as a conventional safe. Yet it’s easy to live with: interiors are fully carpeted to protect your valuables, and removable shelves help you organize your storage. Installation is straightforward thanks to pre-drilled bolt holes and a built-in flange that covers drywall edges, giving you a clean, finished look without requiring custom trim. With the WS Series, you get hidden protection that doesn’t compromise on security or style.

Model	Outside Dimensions H x W x D	Door Clearance H x W	Body Thickness	Interior Capacity	Weight	Lock Type
WS1214E5	12 5⁄8" x 14" x 10"	10 ¾" x 11 ¼"	7 GA	0.51 cu. ft.	86 lbs.	ESL5
WFS149E5LP	19 ½" x 14" x 15 ¾"	15 ¼" x 9 ¾"	2 ⅞"	0.85 cu. ft.	104 lbs.	ESL5LP
WEST2114	21 ⅞" x 13 ⅞" x 4"	19 ¼" x 10 ¼"	14 GA	0.42 cu. ft.	31 lbs.	DL6000

- Fits cleanly between standard 16-inch on-center wall studs for easy installation.
 - Flush-mount design hides behind art, mirrors, or closet shelves.
 - Heavy-gauge steel body resists prying and drilling attempts with ease.
 - Thick steel door with live locking bolts defends against attacks.
 - WS1214:** Extra-deep interior for larger valuables and bulkier items.
- WEST2114:** DL6000 touchscreen LCD lock with time display and adjustable shelves.
 - High-security electronic locks with override key for backup access.
 - Carpeted interior and removable shelves for easy organization.
 - Built-in flange covers cut drywall and speeds up installation.

AMSEC Electronic Locks

	ESL5	ESL5LP	Backlit ESL10	Backlit ESL20	ESLAudit II	SafeWizard II®
Keypad Housing	Round Backlit	Backlit	Round Backlit	Round Backlit	Vertical Rectangle	Horizontal Rectangle
UL Listed	UL Type 1	UL Type 1	UL Type 1	UL Type 1	UL Type 1	–
Number of Users	1	1	1	1 Master, 8 Users, 1 Armored Car	40 Multiple User Options	500 Multiple User Options
Time Delay Override	no	No	No	Yes	Yes	Yes
Safe Doors	1	1	1	1	4	12
Power Source	(1) 9V	(1) 9V	(2) 9V	(2) 9V	(2) 9V A/C Opt.	AC w/Battery Back-up
Combination (# of Digits)	6	6	6	6	Key + 6 Digits, 8 if keypad only	Key + 6 Digits, 8 if keypad only
Wrong Try Lock Out (time)	Yes (15 min.)	Yes (15 min.)	Yes (15 min.)	Yes (15 min.)	Yes - 4 attempts (15 min.)	User Settable
Dual Mode	–	–	–	Yes	Yes	Yes
Time Delay	–	–	–	1-99 min.	1-99 min.	1-99 min.
Time Delay Open Input Window (time by user)	–	–	–	1-9 min.	1-99 min.	1-99 min.
Time Lock (Periods) *(Variable)	–	–	–	–	(4)(*) Software Set	(6)(*)
Duress	–	–	–	–	Optional	Standard
Audit Trail (# of events)	–	–	–	–	5000 Time & Date Software Viewed	120,2000 w/ 500 Back-up Time & Date
PC Software Audit Trails	–	–	–	–	Optional	Cloud (Optional)
Alarm Interface	–	–	–	–	Optional	Yes
Auto Lock	Yes	Yes	Yes	Yes	Yes	Yes
Bolt Options	Swing	Swing	Standard/Slam	Standard/Slam	Swing/Toggle	Swing/Toggle
Color Options	Chrome	Matte Black	Chrome, Brass, Black Nickel, Matte Black	Matte Black	Brushed Satin Chrome	Silver/Blue

Partner Electronic Locks

	SARGENT & GREENLEAF		KABA		
	6123	6126	AuditCon 52	AuditCon 252	AuditCon 552
Keypad Housing	Round	Round	Round, Vertical	Round, Vertical	Round, Vertical
UL Listed	UL Type 1	UL Type 1	UL Type 1	UL Type 1	UL Type 1
Number of Users	5	1 Programmer, 3 Manager, 6 Super Users, 20 Users	2	20	99
Time Delay Override	Yes	Yes	–	Yes	Yes
Safe Doors	1	1	1	1	1
Power Source	(2) 9V	(2) 9V	Self-Generating / Battery	Self Generating	Self Generating
Combination (# of Digits)	6	6	6	8	8
Wrong Try Lock Out (time)	4 (15 min.)	5 (15 min.)	Yes (3 min.)	Yes (3 min.)	Yes (3 min.)
Dual Mode	Yes	Yes	Yes	Yes	Yes
Time Delay	1-99 min.	1-99 min.	Yes {Order Model T-52}	Yes	Yes
Time Delay Open Input Window (time by user)	2-9 min.	1-10 min.	–	–	–
Time Lock (periods) *(variable)	–	–	–	–	–
Duress	Optional	Optional	Optional	Optional	Optional
Audit Trail (# of events)	–	400 Time & Date	–	–	400 Time & Date
PC Software Audit Trails	–	Optional Audit Only	–	(Optional) 100	(Optional) 400
Alarm Interface	–	Yes	–	Yes (optional)	Yes (Optional)
Auto Lock	Yes	Yes	Yes	Yes	Yes
Bolt Options	Standard Motor	Standard Motor	Slide/Standard	Slide/Standard	Slide/Standard

Partner Mechanical Locks

UL LISTED GROUP 2 MECHANICAL COMBINATION SAFE LOCK KIT

Mechanical combination safe locks have been around for over 100 years and are very secure and reliable. With the proper care and service, the mechanical combination safe lock will last a long time.

- Three bass and aluminum combination wheels provide 1,000,000 theoretical combinations
- Dual brass locking cams prevent wheel slippage
- Solid brass locking bolt and zinc drop lever
- Four-way brass drive cam allows mounting RH, LH, VU or VD
- Internal spring -loaded brass relock-trigger guards against punch attacks
- Standard mounting footprint matches most mechanical and electronic safe locks
- Both dial and ring are die cast with black finish and white letters
- A solid, machined brass spindle - 5 1/2"
- Comes standard with an attractive self-stick solid dial insert or a key-locking dial insert

SAFE LOCK KIT INCLUDES

- Mechanical safe lock
- Large dial & ring
- Combination change key
- Mounting hardware



SPY PROOF KEY LOCKING DIAL

Restricts unauthorized viewing while dialing the combination, as well as providing dual custody control.



FRONT READ DIAL

Safe is equipped with Time Locks offer the capability of locking the safe for a pre-selected period of time. Time periods range from 1 hour to 144 hours.



SPY PROOF DIAL

Restricts unauthorized viewing while dialing the combination.



UL LISTED HIGH SECURITY KEY LOCK

European style 9-lever changeable key lock offers exceptional security features for use on inner locker or outer safe doors.



KEY LOCKING FRONT READ DIAL

Key is used to lock dial in a fixed position and affords dual custody control. Manager has the combination, collector has the key. Both must be present to unlock the safe.



JS5517



AM3020 Plus

